

Unit Packs Non-Oscillating



Adjustable Floor



Vertical Mount



Wall Mount

3 Year Warranty

Features

- 115V, 60 Hz, 1 Phase, Totally Enclosed Air Over Ball Bearing Motors
- A safety cable kit is included in all overhead mounted air circulators to prevent the fan from falling if accidentally struck or mounting fails. Single safety cable kits consist of 12 feet of 1/16" diameter cable, 2 cable clamps and instructions.
- All Parts Packaged in One UPS Shippable Carton
- 15' Three Conductor Supply Cord and Plug
- Guard Meets OSHA Standards
- Galvanized Steel Propeller
- 3 Mounting Options
- All Stocked



Type	Tilt (In Degrees) Non-Oscillating	
	Up	Down
Floor	30°	15°
Wall	30°	50°
I-Beam	30°	15°
Vertical	0°	90°

0° = Horizontal Plane

EDP No.	Catalog No.	Prop Dia.	Fan Style	HP	CFM			RPM			Motor Number	F.L. Amps	Ship Wt.
					High	Med	Low	High	Med	Low			
71760	UPI-24PA2A (3-SP)	24"	Adjustable Floor (S.B.)	1/3	5520	4020	2820	1080	700	540	I-3A	3.0	81
71725	I-24W2A (3-SP)	24"	Wall / Vertical Model	1/3									44
71526	UPI-30PA2A (3-SP)	30"	Adjustable Floor (S.B.)	1/3	7185	5300	3415	1080	700	540	I-3A	3.0	90
71726	I-30W2A (3-SP)	30"	Wall / Vertical Model	1/3									49

Performance Ratings are conducted in accordance with AMCA Standard 230-99
S.B. = Solid Base

Non-Oscillating Assembled Fan Heads



Features




- Motor, Guard, and Propeller are Pre-Assembled
- 30" Head Assembled is UPS OverSize 2
- 18" & 20" fans are 2 Speed
- 24" & 30" fans are 3 Speed

EDP No.	Catalog No.	Prop Dia.	HP	Phase	CFM			RPM			Motor Number	F.L. Amps	Ship Wt.
					High	Med	Low	High	Med	Low			
37113	I-18TEHA	18"	1/15	1	2520	---	1850	1480	---	1020	I-1820TEM	2.6	24
37114	I-20TEHA	20"	1/15	1	2670	---	2035	1650	---	1240	I-1820TEM	2.6	27
37209	I-24-2	24"	1/3	1	5520	4020	2820	1080	700	540	I-3A	3.0	37
37212	I-30	30"	1/3	1	7185	5300	3415	1080	700	540	I-3A	3.0	48

Industrial Air Circulators

Component Parts / Accessories

Motors

	EDP No.	Catalog No.	F.L. Amps	Ship Wt.	Description
(1) 	70013	I-1820TEM	2.6	10	115V, 1/15 HP, TEAO, ball bearing, 1/2" shaft dia., 2 speed switch, 10' cord & plug (1)
(2) 	78019	I-3A	3.0	22	115V, 1/3 HP, Single Phase, TEAO ball bearing, PSC type, 5/8" shaft dia., 3 speed switch, 15' cord & plug (2)
(3) 	37430	0-3B	2.8	50	115V, 1/4 HP, Single Phase, TEAO, ball bearing, Oscillating, 3 speed, 5/8" shaft dia. (3) Note: Motor NOT to be used in the UPSIDE-DOWN position.

Capacitors

EDP No.	Catalog No.	Ship Wt.	Description
01683	Capacitor	1	Capacitor - 8 MFD (for 78019 motors)
01430	Capacitor	1	Capacitor - 20 MFD (for 37430 motors)

Guards



EDP No.	Catalog No.	Ship Wt.	Description
71000	C-1820G	11	18" - 20" guard - use on EDP # 70013 motor.
21070	AC24-G	14	24" Guard
21080	AC30-G	20	30" Guard

Galvanized Propellers




EDP No.	Catalog No.	Ship Wt.	Description
70740	I-18B	3	18" propeller - use on EDP # 70013 motor
72100	I-20B5	3	20" propeller - use on EDP # 70013 motor
73300	I-24B2A2	5	24" propeller
73400	I-30B2A	5	30" propeller

Pedestal



EDP No.	Catalog No.	Ship Wt.	Description
73101	I-2030AP	12	5' to 8' adjustable floor model
73103	C-2030NP	7	Non-Adjustable. 5' high floor model. Top section provides 33 1/2" counter model. Use only with I-2030B Base. Use only with 70013 Motor.

Bases



EDP No.	Catalog No.	Ship Wt.	Description
21153	I-2030B	24	Open base (1)
21166	A786B-2	34	Solid base (2)

Wall / Vertical Mount Bracket




EDP No.	Catalog No.	Ship Wt.	Description
75002	C-2030W	5	For use with non-oscillating industrial air circulators. Safety Cable Kit included. NOT FOR USE WITH OSCILLATING MOTORS.



Component Parts / Accessories

Vertical Mount Bracket



EDP No.	Catalog No.	Ship Wt.	Description
11456	DJ-CM	7	Vertical mount for use with industrial 20", 24", and 30" non-oscillating fans. Includes Safety Cable Kit. NOT FOR USE WITH OSCILLATING MOTORS

Wall Mount Bracket



EDP No.	Catalog No.	Ship Wt.	Description
37772	IAC-WB	7	Use with industrial oscillating and non-oscillating motors. Includes Safety Cable Kit.

Suspension Mount Bracket



EDP No.	Catalog No.	Ship Wt.	Description
75003	C-2030S	3	Use with non-oscillating industrial & commercial air circulators. Includes Safety Cable Kit. NOT FOR USE WITH OSCILLATING MOTORS

I-Beam Mount Bracket



EDP No.	Catalog No.	Ship Wt.	Description
37784	IAC-BM-1	13	For use with I-Beam mounting. Includes Safety Cable Kit. NOT FOR USE WITH OSCILLATING MOTORS

Safety Cable



EDP No.	Catalog No.	Ship Wt.	Description
21204	Safety Kit	3	12' of 1/16" diameter cable, two (2) cable clamps and instructions.

Accessories



EDP No.	Catalog No.	Ship Wt.	Description
70601	AMFW30K	5	Snap-on wheel kit with set screw lock for 18"-30" Airmaster Pedestal Fans, except I-2030B.
01723	Switch	2	2 Speed / 3 Speed Pull Chain Switch