

Active - Ultra

VEGETABLE PREPARATION MACHINE CA

#ThePerfectCut



sammic



CA-31



CA-41



CA-61



CA-3V



CA-4V

#ThePerfectCut...

Perfectly adjusted discs and grids with tight tolerances

- Minimal effort is required for cutting.
- Clean and uniform cuts are obtained with practically no shrinkage. Practically no liquid is generated.
- Maximum uniformity.

Lateral shoot

- Requires little counter space.
- Allows a natural workflow left to right.

Ergonomic design

- One arm motion and roll on handle system for minimum impact on elbow and wrist.

Available in ACTIVE and ULTRA line

- Active line: 1-speed appliances. Intuitive control panel.
- Ultra line: adjustable speed. Advanced control panel with all the information at a glance. Brushless technology and advanced features.

Stainless steel motor block

- Polished external finish, optimal durability and is easy to clean.

Wide range of models

- 5 models.
- Hourly output up to 1,000 Kg / 2,200 lbs.
- 1-speed and adjustable speed appliances.


Possibility of fitting different attachments

Wide range of discs and grids

- Allow to obtain over 70 different cuts.

Maintenance, safety, hygiene

- Easily detachable cover and head for cleaning purpose.
- Combination of safety systems. NSF-International certified appliances.
- 100% tested.



... and maximum customization



New ULTRA line with advanced features

Adjustable speed

- Possibility to adjust the speed to the specific needs of each moment.

Advanced control panel

- All the information at a glance.

Brushless technology: maximum efficiency

- Equipped with Brushless technology.
- Maximum efficiency: the motor maintains the torque throughout the speed range.
 - Exclusive "Force Control System".
 - Light and compact design.
- Improved watertightness as no ventilation is required.
 - Less noise is generated.





#ThePerfectCut

ACTIVE LINE: #ThePerfectCut

- 1-speed appliances.
- Powerful, ventilated motor.
- Intuitive control panel.



ULTRA LINE: #ThePerfectCut and maximum customization and standardization

- Adjustable speed.
- Equipped with Brushless technology.
- Maximum efficiency: the motor maintains the torque throughout the speed range.
- Exclusive "Force Control System".
- Light and compact design.
- Improved watertightness as no ventilation is required.
- Advanced control panel.
- All the information at a glance.



ACTIVE line

CA-31

- 1-speed motor block + universal hopper.
- Hourly output up to 450 Kg / 1,000 lbs.
- One arm motion and roll on handle system for minimum impact on elbow and wrist.
- Lateral product ejection.
- Very intuitive use.



CA-41

- 1-speed motor block + large capacity hopper.
- Hourly output up to 650 Kg / 1,300 lbs.
- High profile ejection disc.
- Ideal for whole products.
- Lateral product ejection.
- Very intuitive use.



CA-61

- 1-speed motor block + automatic hopper.
- Hourly output up to 1,000 kg / 2,200 lbs. Ideal for big production needs.
- Lateral product ejection.
- Very intuitive use.



ULTRA line

CA-3V

- Adjustable speed motor block + universal hopper.
- Hourly production up to 450 Kg / 1,000 lbs.
- One arm motion and roll on handle system for minimum impact on elbow and wrist.
- Lateral product ejection.
- Advanced control panel.



CA-4V

- Adjustable speed motor block + large capacity hopper.
- Hourly output up to 650 Kg / 1,300 lbs.
- High profile ejection disc.
- Ideal for whole products.
- Lateral product ejection.
- Advanced control panel.



Optional accessories



Long vegetable attachment



Automatic hopper



Stand - trolley



Disc holder



Grid cleaner kit

Cutter accessories



FC-1+



FC-3D




FC-8D




FCO+



FFC-8+



FMC-14D



FMC-25+



FCC-2+



FCC-5+



FCE-4+



FCE-8+



SH-3



SH-7



SHF



SHG



FC Slicing discs of up to 25mm (1") width.

- FC-1+ and FC-2+ discs for potato chips.
- FC-2+, FC-3+, FC-6+, FC-8+, FC-10+, FC-20+ and FC-25+ discs for slices of 2 to 25 mm (5/64 to 1") width of potatoes (soufflé), carrots, beetroots, cabbages, etc.

FCO Ripple slicing discs:

- 2, 3 or 6 mm (5/64", 1/8" or 1/4") width.

Chipping and dicing **grids**: new thinner 360° cut grids, which allow a more precise and uniform cut with less pressure to the food and less liquid generated in delicate products.

- **FFC** Grid for fries:
 - Combined with FC discs.
 - 8 and 10 mm (5/16" and 3/8") width.
- **FMC** Grid for dices:
 - Combined with FC discs.
 - 8, 10, 14, 20 or 25 mm (5/16", 3/8", 15/32", 3/4" or 1") width.

FCC Curved slicing discs:

- Specially designed for soft products. Slices tomatoes, oranges, lemons, bananas, apples, etc.
- 2, 3 or 5 mm (5/64", 1/8" or 1/4") width.

FCE Julienne discs for French fries, strips or batons of potato, carrot, celery, beetroot, etc.

- 2, 4 or 8 mm (5/64", 5/32" or 5/16") width.

SH Shredding discs: cutting area of new shredding discs has been optimized, which reduces absorbed power.

- Shreds vegetables, cheese, bread, nuts, almonds, etc.
- 2, 3, 4, 6 or 7 mm (5/64", 1/8", 5/32", 1/4" or 9/32") width.
- SHF/SHG: Grating discs for bread, hard cheese, chocolate, etc.
- Screwless / detachable without tools: maximum hygiene.

Specifications



LINE	ACTIVE			ULTRA	
Model	CA-31	CA-41	CA-61	CA-3V	CA-4V
SELECTION GUIDE					
Covers (from / to)	100 - 450	100 - 600	200 - 1000	100 - 450	100 - 600
Hourly output	200-100 lbs	400-1300 lbs	1000-2200 lbs	200-100 lbs	400-1300 lbs
FEATURES					
Inlet opening dimensions	21 in ²	44.4 in ²	42.4 in ²	21 in ²	44 in ²
Motor RPM	365 rpm	365 rpm	365 - 730 rpm	300 - 1000 rpm	300 - 1000 rpm
LOADING					
Single phase	1.5 Hp	1.5 Hp	1.5 Hp	3 Hp	3 Hp
EXTERNAL DIMENSIONS					
Dimensions	15.4 x 16 x 21.4"	15.4 x 15.6 x 25.7"	16.9x 16.5 x 31.9"	15.4 x 16.1x 21.7"	15.4 x 15.7 x 25.7"
Net weight	46 lbs	52.9 lbs	62.8 lbs	53 lbs	59.5 lbs

Compatible accessories

LINE	Universal hopper	Large capacity hopper	Automatic hopper	Long vegetable attachment	Stand - trolley
CA-31	x			o	o
CA-41		x	o	o	o
CA-61		o	x	o	o
CA-3V	x			o	o
CA-4V		x	o	o	o

x: included o: in option

Discs and grids (veg slicer function)

LINE	1/32" 1mm	5/64" 2mm	1/8" 3mm	5/32" 4mm	3/16" 5mm	1/4" 6mm	9/32" 7mm	5/16" 8mm	3/8" 10mm	15/32" 14mm	3/4" 20mm	1" 25mm	Dust
FC - Slices	x	x	x			x		x	x	x	x	x	
FCO - Ripple slices		x	x			x							
FFC - Chipping grid								x	x				
FMC - Dicing grid								x	x	x	x	x	
FCC - Curved slicing disc		x	x		x								
FCE - Julienne		x		x				x					
SH - Shredding disc		x	x	x		x	x						
SHG - Coarse grating disc													x
SHF - Fine grating disc												x	x



www.sammic.com



UNE-EN ISO 9001

SAMMIC, S.L. (Sociedad Unipersonal) Basarte, 1 · 20720 AZKOITIA

05/22-00922/0