

Version: 3 Date: March 30, 2020

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/SUPPLIER

Product Identifier:	HS100
Other Means of Identification:	Hand Sanitizer – 72% active alcohol
Manufacturer's Name:	TeaBevCo
Manufacturer's Address:	1322 Ranchers Legacy Trl. Fort Worth Tx
24-HOUR Emergency Telephone Number:	Call CHEMTREC Day or Night (USA or Canada) <u>1-800-424-9300 / +1 703-527-3887</u>
Recommended Use:	Hand Sanitizer – 72% active alcohol
Restrictions on Use:	None.

2. HAZARDS IDENTIFICATION			
CLASSIFICATION			
Physical Hazards:	Flammable Liquid – Cat. 3		
Health Hazards:	Eye Damage – Cat. 1 Specific Target Organ Toxicity, SE (Central Nervous System) – Cat. 3		
Environmental Hazards:	None.		
LABELING			
Signal Word:	Danger		
Hazard Statements:	Causes serious eye damage. Flammable liquid and vapor. May cause drowsiness or dizziness.		
Symbols/Pictograms:			
PRECAUTIONARY STATEMENTS			
PREVENTION			



Version: 3 Date: March 30, 2020

Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion proof equipment.

Use non-sparking tools.

Take-action to prevent static discharge.

Wear protective gloves, clothing, eye and face protection.

Avoid breathing fumes or vapors.

Use only outdoors in a well-ventilated area.

<u>RESPONSE</u>

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

In case of fire, use dry chemical to extinguish.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

Immediately call a poison control center.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison control center if you feel unwell.

<u>STORAGE</u>

Store in a well-ventilated place. Keep cool.

Store locked up.

<u>DISPOSAL</u>

Dispose of contents in accordance with local/regional/ national regulations

3. COMPOSITION/INFORMATION ON INGREDIENTS			
COMPOSITION INFORMATION			
<u>Chemical Component</u>	Pure Substance GHS Classification		
Propyl Alcohol	71-23-8	72%	Flammable liquid – Cat. 2 STOT SE (CNS) – Cat. 3 Eye Dam. – Cat 1
NOTES ON COMPOSITION	NINFORMATION:		



Version: 3 Date: March 30, 2020

*The chemical identity of hazardous components has been withheld as a trade secret.

*Only hazardous chemical components are disclosed.

4. FIRST AID MEASURES	
Skin Contact:	Wash with plenty of water, then with soap and water for 15 minutes. Seek medical attention if exposed to large quantities, if contact is prolonged, or if exposure causes more than minor discomfort. Discard contaminated clothing and shoes.
Eye Contact:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
Inhalation:	If small amounts of this product are inhaled, specific treatment is generally not expected to be necessary. If exposed to excessive levels, if contact is prolonged, or if exposure causes adverse symptoms, move person to fresh air and seek medical attention.
Ingestion:	In case of accidental overdose/over-ingestion, seek medical attention or contact a poison control center immediately. Do not induce vomiting. Dilute by giving 1 or 2 glasses of milk or water. Nothing by mouth if unconscious. Seek medical attention.
Most Important Symptoms/Effects:	May cause severe eye irritation. May cause drowsiness or dizziness.
Indication of Immediate Medical Attention and Special Treatment:	If exposure to this product causes adverse effects, seek immediate medical attention. Conditions should be treated symptomatically.

5. FIRE FIGHTING MEASURES		
Flash Point:	25° C	
Flammable Limits:	No applicable information available.	
Auto ignition Temperature:	No applicable information available.	
Explosion Data:	No applicable information available.	
Suitable Extinguishing Media:	Use dry chemical when fighting fires involving this product. Synthetic or protein foams may be used, but may not be as effective.	

TeaBevCo

SAFETY DATA SHEET

Special Protective Equipment and Precautions for Fire Fighters:	Wear a self-contained breathing apparatus pressure demand (NIOSH approved or equivalent) and full protective gear.
Specific Hazards Arising from the Chemical or Mixture:	None.
Hazardous Combustion Products:	No applicable information available.
Other Information:	See Section 7 for additional information.

6. ACCIDENTAL RELEASE MEASURES		
Personal Precautions, Protective Equipment, and Emergency Procedures:	In case of spill, evacuate the area and remove all ignition sources. Wear appropriate personal protective equipment during any cleanup and response activities as described in Section 8.	
Methods and Materials for Containment and Clean Up:	Dike and contain spill with absorbent materials.	
Other Instructions:	Do not release this product or waste streams containing this product to water or the environment. In the event of an uncontrolled release of this material, the user should determine if the release is reportable under applicable laws and regulations.	

7. HANDLING AND STORAGE		
Precautions for Safe Handling and Storage:	Eye-wash stations and emergency showers need to exist in areas where the material is handled, especially areas where loading and unloading operations occur. Wash hands thoroughly after handling and before eating, drinking, or smoking. Keep out of reach of children. Ground all containers when transferring material.	
	Do not contaminate water, food, or feed by storage or disposal. Keep the product in original containers. Store in cool, dry, well ventilated, low fire risk area away from sunlight. Keep containers closed. Store only in approved containers, under approved conditions. Avoid pressure build-up in containers. An automatic water spray device should be immediately available. A spill control and containment plan should be developed. Storage area should not	
	be subject to rapid temperature changes as such changes may cause	



	increased internal pressure. Isolate from toxic materials or substances that may release corrosive, toxic, or flammable fumes on reaction.
Other Precautions and Information:	None.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION		
Eye/Face Protection:	Chemical safety goggles meeting the specifications of ANSI Standard Z87.1 are to be worn whenever there is the possibility of contact with the eyes. Spectacle type safety glasses do not provide satisfactory protection. An eyewash fountain should be readily accessible. Wear plastic face shield in addition to safety goggles where there is a danger of splashing.	
Protective Gloves:	Wear chemical resistant gloves appropriate to the conditions to prevent dermal exposure. Rinse and remove gloves immediately after use, and wash hands thoroughly with soap and water. Gloves should be removed and replaced immediately if there are any signs of degradation or breakthrough.	
Protective Clothing:	Wear chemical resistant protective clothing and footwear impervious to the product for the duration of the anticipated exposure if there is a potential for skin contact. An emergency shower should be readily accessible. Discard any contaminated clothing.	
Respiratory Protection:	Wear adequate respiratory protection in the case where there is a potential for inhalation exposure during use or handling operations. Respirators equipped with organic vapor cartridges are anticipated to provide adequate respiratory protection during short-term exposures to low vapor concentrations of the product. Workers should wear a supplied-air respirator or self-contained breathing apparatus any time exposure is above low levels or during extended exposure periods. Use NIOSH approved respiratory equipment. Respirators should be selected based on the form and concentration of the contaminant in the air and in accordance with OSHA (29 CFR 1910.134).	



		Handle only in the	presence of adequate v	entilation.
Engineering Controls:		Good general ventilation should be sufficient to control low airborne levels of the product. If the product is present above low levels, local exhaust or other measures may be necessary to control worker exposure. Engineering controls may be necessary during heating operations where irritating vapors may evolve or be released.		
Air Monitoring:		There is no air monitoring information available for this product.		
	EXPOSURE LIMITS AND GUIDELINES			
<u>COMPONENT</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>NIOSH REL</u>	<u>OTHER</u>
Propyl Alcohol	200 ppm (TWA) 500 mg/m3 (TWA)	100 ppm (TWA)	200 ppm (TWA) 500 mg/m3 (TWA)	
NOTES ON EXPOSURE LIMITS AND GUIDELINES:				
None.				

9. PHYSICAL AND CHEMICAL PROPERTIES		
Appearance/Physical State:	Clear, Colorless	
Odor:	No applicable information available	
Odor Threshold:	No applicable information available	
рН:	5.0 - 9.0	
Freezing Point:	No applicable information available	
Pour Point:	No applicable information available	
Boiling Point:	No applicable information available	
Flash Point:	25° C	
Evaporation Rate:	No applicable information available	
Flammability:	Flammable	

TeaBevCo

SAFETY DATA SHEET

Flammability Limits:	No applicable information available
Vapor Pressure:	No applicable information available
Vapor Density:	No applicable information available
Relative Density/Specific Gravity:	0.880 +/- 0.030 (25C)
Solubility in Water:	No applicable information available
Octanol/Water Partition Coefficient:	No applicable information available
Auto-ignition Temperature:	No applicable information available
Decomposition Temperature:	No applicable information available
Viscosity:	Approx. 300cP @ 20 RPM (Spindle s62, tested on Brookfield DVE)
Color (Gardner):	No applicable information available
Refractive Index:	No applicable information available

10. STABILITY AND REACTIVITY	
Reactivity:	There are no specific reactivity hazards.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	Hazardous reactions are not expected under normal conditions.
Conditions to Avoid:	Avoid heat, fire, open flames, direct light, and ignition sources.
Incompatible Materials:	No applicable information available
Hazardous Decomposition Products:	Hazardous decomposition or byproducts are not expected under normal conditions.
Hazardous Polymerization:	This product will not undergo hazardous polymerization.
Other Information:	See Section 7 for further information.

11. TOXICOLOGICAL INFORMATION	
Routes of Exposure:	Exposure to this product (including its vapors) may occur through the eyes, skin, ingestion, and inhalation.

TeaBevCo

SAFETY DATA SHEET

Acute Toxicological Data:	Propyl Alcohol: 71-23-8 LC50 (Dermal) – Rabbit – Male – 4,032 mg/kg LC50 (Inhalation) – Rat – Male and Female (4 h) >33.8 mg/L
Eye Irritation Data:	There are no eye irritation data on this product. Based on the data of the individual components, this product is expected to cause eye irritation.
Skin Irritation/Sensitization/ Absorption Data:	There are no skin irritation data on this product. Based on the data of the individual components, this product is expected to cause skin irritation. Absorption through the skin is not expected to occur. This product is not expected to cause skin sensitization.
Sub Chronic Toxicity Data:	There are no subchronic toxicity data on this product. Based on the data of the individual components, the subchronic toxicity of this product is expected to low.
Reproductive Toxicity Data:	There are no reproductive toxicity data on this product. Based on the data of the individual components, this product is not expected to present a reproductive toxicity hazard.
Specific Target Organ Toxicity (Single Exposure):	There are no <i>Specific Target Organ Toxicity (Single Exposure)</i> data on this product. Based on the data of the individual components, this product may cause drowsiness or dizziness (central nervous system).
Teratogenicity (birth defects) Data:	There are no teratogenicity data on this product. Based on the data of the individual components, this product is not expected to present a teratogenicity hazard.
Mutagenicity Data:	There are no mutagenicity data on this product. Based on the data of the individual components, this product is not expected to present a mutagenicity hazard.
Chronic/Carcinogenicity Data:	There are no chronic effects or carcinogenicity data on this product. Based on the data of the individual components, this product is not expected to present a chronic or carcinogenicity hazard.
	 NTP: Not listed IARC: Not listed OSHA: Not listed

12. ECOLOGICAL INFORMATION	
Ecotoxicity Data:	Propyl Alcohol: 71-23-8 Fish: Flow-through test LC50 - Pimephales promelas (fathead minnow) - 4,555 mg/l - 96 h



	(OECD Test Guideline 203)
	Daphnia and other aquatic: static test EC50 - Daphnia magna (Water
	flea) - 3,644 mg/l - 48 h (DIN 38412)
	Algae: static test ErC50 - Pseudokirchneriella subcapitata (green
	algae) - 9,170 mg/l - 48 h
	Remarks: (ECHA)
	Bacteria: static test IC50 - activated sludge - > 1,000 mg/l - 3 h (OECD
	Test Guideline 209)
Persistence and Degradability:	There are no persistence or degradability data on this product.
Bioaccumulative Potential:	There are no bioaccumulation data on this product.
Mobility in Soil:	There are no soil mobility data on this product.
Other Adverse Effects:	No applicable information available.

13. DISPOSAL CONSIDERATIONS	
Waste Classification:	Dispose as a solid waste in conformance with all federal, state, and local regulations. All recovered material must be packaged, labeled, transported, and disposed in conformance with applicable laws and regulations. It is the responsibility of the user to determine at the time of disposal whether a material containing the product or derived from the product should be classified as a solid or hazardous waste.
U.S. EPA Waste Number:	No applicable information available
Special Instructions:	None.

14. TRANSPORT INFORMATION	
<u>U.S. DOT</u>	
UN Number:	1993
Hazard Class:	3
Packing Group:	111
Proper Shipping Name:	Flammable liquids n.o.s (Contains propyl alcohol)



Label:	Flammable	
Marine Pollutant:	No	
Additional Information/Remarks:	None	
IMDG		
UN Number:	1993	
Hazard Class:	3	
Packing Group:	111	
Proper Shipping Name:	Flammable liquids n.o.s (Contains propyl alcohol)	
Label:	Flammable	
Marine Pollutant:	Νο	
Additional Information/Remarks:	None	
	ICAO/IATA	
UN Number:	1993	
Hazard Class:	3	
Packing Group:	111	
Proper Shipping Name:	Flammable liquids n.o.s (Contains propyl alcohol)	
Label:	Flammable	
Marine Pollutant:	No	
Additional Information/Remarks:	None	

15. REGULATORY INFORMATION	
TSCA Inventory Status:	All intentional substances contained in this product are listed on the Toxic Substances Control Act (TSCA) Chemical Substance Inventory.



	This product contains no substances specifically regulated under TSCA.
OSHA:	This product is not considered to be hazardous under the OSHA Hazard Communication Standard.
Waste Classification:	Dispose as a solid waste in conformance with all federal, state, and local regulations. All recovered material must be packaged, labeled, transported, and disposed in conformance with applicable laws and regulations. It is the responsibility of the user to determine at the time of disposal whether a material containing the product or derived from the product should be classified as a solid or hazardous waste.
EPCRA/SARA III:	This product contains no toxic chemicals at or above the <i>de-minimis</i> threshold subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372.
California Proposition 65:	This product contains no chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.
U. S State Right to Know Act:	Propyl Alcohol: 71-23-8 Massachusetts, New Jersey, Pennsylvania.

16. OTHER INFORMATION	
Label Text:	See Section 2 and product labeling.
Disclaimer:	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text
Previous SDS Version Date:	N/A