

KRATOS EQUIPMENT 7750 Georgetown Road, Indianapolis, IN 46268 Sales: (317) 634-2550 Tech Service: (887) 368-2797

Project Name:	
Location:	
Item #:	Qty:
Model:	

KRATOS top-accessed Bottle Coolers are an excellent option for keeping bottled beverages cold and accessible. The spacious heavy duty, durable stainless steel interior houses a LED light to illuminate its

contents. A built-in bottle opener and bottle cap catcher make this unit fully functional for high volume operations. Its durable black steel exterior blends in with almost every bar or similar commercial application, and the rear shelf provides additional prep counter space.

Reinforced heavy-duty crossbar can support heavy loads without

69K-717HC / 69K-728HC: Two (2) sliding lids

Forced air cooling for high efficiency, rapid product cooling and

Readily adjustable, solid state control system delivers consistent

Rear Stainless Steel top with marine edge. Provides added work

Uses an environmentally friendly, high r-valve, efficient foamed in place insulation providing years of reliable, cost effective operation

External built-in bottle opener and bottle cap catcher

69K-821HC: Three (3) sliding lids LED lighting: Bright, long lasting and energy efficient

Sliding top lid makes access and service easy

Holding temperature: 34° to 41°F (1° to 5° C)

temperature throughout the interior storage space

space and storage area for condiments, glasses, etc. Adjustable internal dividers provide product separation

reliable, consistent temperature control

Adjustable leveling feet

Rapid temperature recovery

**TEMPERATURE** 

CONSTRUCTION

### **BOTTLE COOLERS**

69K-728HC 69K-821HC 69K-717HC Model: 69K-717HC 69K-728HC

REFRIGERANT 69K-717HC/69K-728HC: R600a 69K-821HC: R290a

#### **ELECTRIC**

120V/60Hz/1 Ph (NEMA 5-15P)



# NEMA 5-15P

## KRATOS WARRANTY (USA / CANADA)

Exterior Material: Steel painted black

Interior Material: Stainless Steel

One (1) year parts

**FEATURES** 

One (1) year on-site labor

Four (4) additional years (Five (5) total) for the compressor (part only) Administered by KRATOS EQUIPMENT, 887.368.2797

24/7 tech support provided

Intertek Conforms to ANSI-NSF 7





69K-821HC



**DOE 2017** Compliant

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice. While we exercise good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications. By using the information provided, the user assumes all risks in connection with such use.





KRATOS EQUIPMENT 7750 Georgetown Road, Indianapolis, IN 46268 Sales: (317) 634-2550


Tech Service: (887) 368-2797

Oty:
2

## **BOTTLE COOLERS**









69K-717HC

69K-728HC





69K-821HC

	69K-717HC	69K-728HC	69K-821HC	
	** Dimensions include Leg height **			
In: External Dimensions W x D X H	49.4 x 27 x 35	64.3 x 27 x 35	95.3 x 27 x 35	
mm: External Dimensions W x D X H	1255 x 686 x 889	1633 x 686 x 889	2296 x 686 x 889	
Storage Capacity	14 Cu Ft / 396 L	17 Cu Ft / 481 L	26 Cu Ft / 736 L	
Doors	2	2	3	
Dividers	2	2	3	
Peak Amp Draw	7	7.5	8	
Refrigerant Charge Size	R600a 2.47 oz	R600a 3.17 oz	R290a 3.53 oz	
Can / Bottle Capacity	504 Cans / 336 Bottles	768 Cans / 504 Bottles	1250 Cans / 824 Bottles	
Unit Weight	180 lb (82 kg)	250 lb (114 kg)	465 lb (211 kg)	
Shipping Weight	205 lb (93 kg)	280 lb (128 kg)	500 lb (227 kg)	