

Project Name:	
Location:	
Item #:	Qty:
Model:	

69K-905 SELF-CONTAINED ICE MACHINE - HALF DICE

MODEL: 69K-905



69K-905

ELECTRIC -

115V / 60Hz / 1Ph International voltage available 6' (2m) NEMA 5-15P cord set included



3RD PARTY APPROVALS









Zero Ozone Depletion Potential

KRATOS ICE WARRANTY (USA) -

One (1) year parts and on-site labor

Contact Central Restaurant Products for warranty statement at www.centralrestaurant.com or 888.908.8051

The Kratos Ice 69K-905 self-contained, air-cooled ice machine is perfect for any freestanding or built-in application. Each unit features a self-contained storage bin and a durable, easy to clean stainless steel and black plastic trim exterior. The easy-to-use controls, front-breathing design with vertical evaporator with its proven ice making technology will deliver years of reliable ice production.

FEATURES AND CONSTRUCTION -

- Stainless steel exterior with black plastic trim
- Air cooled compressor
- Programmable, solid state, digital electronic control system.
- Built-in self cleaning mode
- Automatic shut off / overflow protection
- Includes scoop
- Polyethylene storage bin liner for improved sanitation

DAILY ICE PRODUCTION -

Air Temp 70°F (21°C) / Water Temp 50°F (10°C) 69K-905......125 lbs (56.7 kg)

Air Temp 90°F (32°C) / Water Temp 70°F (21°C) 69K-905......102 lbs (46.3 kg)

ICE BIN STORAGE CAPACITY —

OPERATING REQUIREMENTS —

Ambient Air Temperature Range..... 50° to 100°F (10° to 38°C)
Water Temperature Range...... 41° to 90°F (5° to 32°C)
Water Usage per 100 lbs of ice...... 22 Gallons (83.3L)
Water Supply Line Connection 3/8" FPT
Water Pressure Range:


*Above 75 PSI requires a regulator


Energy Consumption per 100 lbs of ice:


69K-905......11.3 kWh/100 lbs


69K-905 SELF-CONTAINED ICE MACHINE - HALF DICE

FRONT VIEW SIDE VIEW









MODEL	EXTERNAL DIMENSIONS	DAILY ICE PRODUCTION (70°F Air / 50°F Water)	ICE BIN STORAGE Capacity	NET WEIGHT / Shipping Weight	AMP DRAW (Making / Harvesting)	REFRIGERANT And Charge Size	ELECTRICAL
69K-905	22" x 21" x 32.7" (558 x 534 x 830 mm)	125 lbs (56.7 kg)	35 lbs (15.9kg)	110 lbs (50 kg) 129 lbs (58.5 kg)	7.5A / 11.8A	R-134a 8.47oz (240g)	115V / 60Hz / 1Ph

INSTALLATION -

- A clearance of 2" from the wall is recommended to promote adequate cooling air circulation
- A gravity drain line is required to install this ice machine
- For optimal performance, the use of a water filter is recommended