



Model: \_\_\_\_\_ Item #: \_\_\_\_\_ Date: \_\_\_\_\_

Project: \_\_\_\_\_ Qty: \_\_\_\_\_ Approved By: \_\_\_\_\_

# Pass Thru Workstations

# Royal Series Underbar

- KRPT-42RP-10** shown with
- KR-142 Single Overshelf
  - KR-415 Bartender Floor Panel
  - KR-BR1 Bottle Wells
  - KR-322 Partial Cover



## Specifications

<b>Tray Shelf</b>	▪ 22 gauge stainless steel with drain and perforated top
<b>Dump Sink (Blender)</b>	▪ 20 gauge stainless steel ▪ 10" x 14" x 7" Deep bowl ▪ 1-1/2" drain in center
<b>Blender Shelf</b>	▪ 22 gauge stainless steel
<b>Interior (Ice Bin)</b>	▪ 20 gauge stainless steel
<b>Soda Gun Holder</b>	▪ 18 gauge stainless steel
<b>Panels</b>	▪ Stainless steel side panels
<b>Cold Plate (Ice Bin)</b>	▪ Cast aluminum post mix plate with 10 circuits. Plate is sealed into bottom. Each circuit is 5/16" OD stainless steel tubing. Two full with remainder to be half circuits. Bump and wedge fittings on ends.
<b>Front Aprons</b>	▪ 20 gauge stainless steel clad over 20 gauge galvanized steel
<b>Bottom</b>	▪ 20 gauge stainless steel
<b>Legs</b>	▪ 1-5/8" tubular 16 gauge stainless steel with grey plastic bullet foot
<b>Tubing Access</b>	▪ 4" x 4" cutout with chase and gun holder
<b>Electrical (Blender)</b>	▪ Receptical box located underneath blender shelf
<b>Insulation (Ice Bin)</b>	▪ Foamed-in-place polyurethane
<b>Plumbing</b>	▪ Cold plate: 1/2" IPS drain connection ▪ Shelves: 1" IPS drain connection ▪ Sink bowls: 1-1/2" IPS drain connection
<b>Faucet</b>	▪ 4" center deck mount faucet with high performance ceramic cartridge valves

## Standard Features

- Built-in 10-circuit cold plate
- Perforated stainless steel glass shelf with drain
- Built-in sound deadened double speed rail
- Built-in 10" or 16" blender shelf
- Two dump sinks with faucet & drains
- Chase on left or right for drain and soda lines
- Royal Series 4" center faucet
- Optional single or double overshelf with brackets
- 45" front to back depth
- Stainless steel end panels included

## Optional Accessories

Model	Description
<b>KR-136</b>	34" Stainless Steel Single Overshelf
<b>KR-236</b>	34" Stainless Steel Double Overshelf
<b>KR-142</b>	40" Stainless Steel Single Overshelf
<b>KR-242</b>	40" Stainless Steel Double Overshelf
<b>KR-154</b>	52" Stainless Steel Single Overshelf
<b>KR-254</b>	52" Stainless Steel Double Overshelf
<b>KR-160</b>	58" Stainless Steel Single Overshelf
<b>KR-260</b>	58" Stainless Steel Double Overshelf
<b>KR-110</b>	Stainless Steel Splash for Dump Sinks
<b>KR-112</b>	Stainless Steel Divider (long way)
<b>KR-322</b>	24" Partial Sliding Cover (Using Bottle Wells)
<b>KR-323</b>	24" Full Sliding Cover (No Bottle Wells)
<b>KR-325</b>	18" Full Sliding Cover (No Bottle Wells)
<b>KR-415</b>	Stainless Steel Bartender Floor Panel
<b>30-160</b>	Universal Plastic Sink Strainer
<b>KR-BR1</b>	Bottle Wells for 24" Pass Thru

## Product Compliance

- NSF-2
- ASME A112.19.3/CSA B45.4



### WARNING:

Plumbing connections should be made by qualified personnel who will observe all applicable plumbing, sanitary and safety codes.

### Mechanical Requirements:

- 1/2" IPS Hot and Cold Water
- 1" IPS drain connection without Cold Plate
- 1/2" IPS drain connection with Cold Plate
- 1-1/2" IPS drain connection on sink bowls




Model: \_\_\_\_\_ Item #: \_\_\_\_\_ Date: \_\_\_\_\_


Project: \_\_\_\_\_ Qty: \_\_\_\_\_ Approved By: \_\_\_\_\_

# Pass Thru Workstations


## Royal Series Underbar




KRPT-36RP-10




KRPT-42RP-10




KRPT-54ARP-10



KRPT-54BRP-10



KRPT-60RP-10



Elevation view  
with double overshelf

### Pass Thru Units with Ice Bin on Right Side

Model	Length	Depth	Working Height	Ice Bin	Blender Shelf	Double Speedrail	Drainboard	Weight (lbs.)
KRPT-36RP-10	36"	45"	30"	18" x 30-1/2"	10"	24"	-	400
KRPT-42RP-10	42"	45"	30"	24" x 30-1/2"	16"	24"	-	444
KRPT-54ARP-10	54"	45"	30"	24" x 30-1/2"	16"	36"	12"	503
KRPT-54BRP-10	54"	45"	30"	24" x 30-1/2"	16"	36"	12"	524
KRPT-60RP-10	60"	45"	30"	24" x 30-1/2"	16"	42"	-	580

#### Mechanical Requirements:

- 1/2" IPS Hot and Cold Water
- 1" IPS drain connection without Cold Plate
- 1/2" IPS drain connection with Cold Plate
- 1-1/2" IPS drain connection on sink bowls






Model: \_\_\_\_\_ Item #: \_\_\_\_\_ Date: \_\_\_\_\_


Project: \_\_\_\_\_ Qty: \_\_\_\_\_ Approved By: \_\_\_\_\_

# Pass Thru Workstations


Royal Series Underbar




KRPT-36LP-10




KRPT-42LP-10




KRPT-54ALP-10



KRPT-54BLP-10



KRPT-60LP-10



Elevation view with double overshelf

## Pass Thru Units with Ice Bin on Left Side

Model	Length	Depth	Working Height	Ice Bin	Blender Shelf	Double Speedrail	Drainboard	Weight (lbs.)
KRPT-36LP-10	36"	45"	30"	18" x 30-1/2"	10"	24"	-	400
KRPT-42LP-10	42"	45"	30"	24" x 30-1/2"	16"	24"	-	444
KRPT-54ALP-10	54"	45"	30"	24" x 30-1/2"	16"	36"	12"	503
KRPT-54BLP-10	54"	45"	30"	24" x 30-1/2"	16"	36"	12"	524
KRPT-60LP-10	60"	45"	30"	24" x 30-1/2"	16"	42"	-	580

### Mechanical Requirements:

- 1/2" IPS Hot and Cold Water
- 1" IPS drain connection without Cold Plate
- 1/2" IPS drain connection with Cold Plate
- 1-1/2" IPS drain connection on sink bowls

