

SUPERPAN



- Patented design
- Accessories - see pages 6-9 to 6-17

NEW

The best just got better.

Strong.

22 gauge 300 series stainless steel pans, with newly designed pour corners up to 300% stronger, will resist dents and dings in the toughest kitchen environments.

Smart.

Easy to pour corners and traditional body size make Super Pan V™ pans compatible with all your Super Pan II® pans, covers, and accessories.

Stunning.

Smooth curves and bright finish for a show stopping look. Easy to clean functionality means Super Pan V™ pans will present your food beautifully over a long time.



Learn More

Scan the code with your mobile device to find your perfect match.

SUPERPAN



- Patented design
- Accessories - see pages 6-9 to 6-17

NEW

The best just got better.

Strong.

22 gauge 300 series stainless steel pans, with newly designed pour corners up to 300% stronger, will resist dents and dings in the toughest kitchen environments.

Smart.

Easy to pour corners and traditional body size make Super Pan V™ pans compatible with all your Super Pan II® pans, covers, and accessories.

Stunning.









Smooth curves and bright finish for a show stopping look. Easy to clean functionality means Super Pan V™ pans will present your food beautifully over a long time.



Learn More

Scan the code with your mobile device to find your perfect match.



PAN SIZE AND DIMENSIONS	ITEM	DEPTH IN (MM)	BRIMFUL CAPACITY QT (L)	PAN CASE LOT	SOLID COVER	CASE LOT	SLOTTED COVER	CASE LOT	WIRE GRATE	CASE LOT	FALSE BOTTOM	CASE LOT
 <p>FULL-SIZE 20 1/4 X 12 1/4 IN 527 X 324 MM</p> <p>1/1</p>	30012	1 1/4 (35)	3.9 (3.7)	6	77250	6	75210	6	20028	12	20000	6
	30022	2 1/2 (65)	8.3 (7.9)	6	77250	6	75210	6	20028	12	20000	6
	30042	4 (100)	14 (13.3)	6	77250	6	75210	6	20028	12	20000	6
	30062	6 (150)	21 (19.9)	6	77250	6	75210	6	20028	12	20000	6
 <p>TWO-THIRDS SIZE 13 1/4 X 12 1/4 IN 352 X 324 MM</p> <p>2/3</p>	30112	1 1/4 (35)	3 (2.8)	6	75110	6	—	—	—	—	—	—
	30122	2 1/2 (65)	5.6 (5.3)	6	75110	6	—	—	—	—	—	—
	30142	4 (100)	9.3 (8.8)	6	75110	6	—	—	—	—	—	—
	30162	6 (150)	14 (13.3)	3	75110	6	—	—	—	—	—	—
 <p>HALF-SIZE 10 1/4 X 12 1/4 IN 264 X 324 MM</p> <p>1/2</p>	30212	1 1/4 (35)	2.1 (2)	6	75120	6	75220	6	20228	12	20200	6
	30222	2 1/2 (65)	4.3 (4.1)	6	75120	6	75220	6	20228	12	20200	6
	30242	4 (100)	6.7 (6.3)	6	75120	6	75220	6	20228	12	20200	6
	30262	6 (150)	10 (9.5)	6	75120	6	75220	6	20228	12	20200	6
 <p>HALF-LONG SIZE 20 1/4 X 6 3/4 IN 527 X 164 MM</p> <p>2/4</p>	30512	1 1/4 (35)	1.9 (1.8)	6	75050	3	—	—	—	—	—	—
	30522	2 1/2 (65)	3.8 (3.6)	6	75050	3	—	—	—	—	—	—
	30542	4 (100)	6 (5.7)	3	75050	3	—	—	—	—	—	—
	30562	6 (150)	8.7 (8.2)	3	75050	3	—	—	—	—	—	—
 <p>THIRD-SIZE 6 3/4 X 12 1/4 IN 175 X 324 MM</p> <p>1/3</p>	30312	1 1/4 (35)	1.3 (1.2)	6	75130	6	75230	6	20328	6	20300	6
	30322	2 1/2 (65)	2.6 (2.5)	6	75130	6	75230	6	20328	6	20300	6
	30342	4 (100)	4.1 (3.9)	6	75130	6	75230	6	20328	6	20300	6
	30362	6 (150)	6.1 (5.8)	6	75130	6	75230	6	20328	6	20300	6
 <p>FOURTH SIZE 6 3/4 X 10 1/4 IN 162 X 264 MM</p> <p>1/4</p>	30422	2 1/2 (65)	1.8 (1.7)	6	75140	6	75240	6	—	—	20400	6
	30442	4 (100)	3 (2.8)	6	75140	6	75240	6	—	—	20400	6
	30462	6 (150)	4.5 (4.3)	6	75140	6	75240	6	—	—	20400	6
 <p>SIXTH-SIZE 6 3/4 X 6 3/4 IN 175 X 159 MM</p> <p>1/6</p>	30622	2 1/2 (65)	1.2 (1.1)	6	75160	6	75260	6	—	—	20600	6
	30642	4 (100)	1.8 (1.7)	6	75160	6	75260	6	—	—	20600	6
	30662	6 (150)	2.7 (2.5)	6	75160	6	75260	6	—	—	20600	6
 <p>NINTH-SIZE 6 3/4 X 4 1/4 IN 175 X 108 MM</p> <p>1/9</p>	30922	2 (50)	0.6 (0.5)	6	75360	6	75460	6	—	—	—	—
	30942	4 (100)	1.1 (1)	6	75360	6	75460	6	—	—	—	—

Specifications: Super Pan V™, shall be 22-gauge, 300 series stainless steel. Top outside shall be designed with built-in concave, diagonally tapered corners for impact resistance which also acts as pouring spout. All depths of solid pans shall have anti-jamming design to prevent pans from sticking together. Reverse formed edge shall be polished and flattened for consistent tangent to well opening and for hand comfort. Product identification to be laser etched on pan. NSF Certified.

Save on Energy Costs!

38%
MORE
EFFICIENT



Save an annual average of
\$36*
on energy costs
PER FULL-SIZE PAN OPENING!

STEAM TABLE PAN	HOURLY KWH USAGE	TOTAL ANNUAL HRS.	TOTAL ANNUAL KWH	PRICE PER KWH	TOTAL ANNUAL COST
Super Pan®	0.20	2488	497.60	0.1225	\$60.96
Competitor w/bent edges	0.32	2488	796.11	0.1225	\$97.52

Average Annual Savings of \$36.56!*

*Third Party Testing on Super Pan 3[®]. Total hours based on 8 hours a day/311 days a year. Average Commercial Retail Price of Electricity = \$0.1153/kWh as of Sept. '11 per U.S. Dept. of energy website. www.eia.doe.gov

Super Pan V™ Solid and Slotted Covers

- Stainless steel
- Reinforced edges provide added strength to the perimeter of the cover
- Slotted covers are NSF certified – Vollrath exclusive

PAN SIZE	SOLID ITEM	SLOTTED ITEM	CASE LOT
1/1	77250	75210	6
2/3	75110	—	6
1/2	75120	75220	6
2/4	75050	—	6
1/3	75130	75230	6
1/4	75140	75240	6
1/6	75160	75260	6
1/9	75360 ^①	75460 ^①	6



① Ninth size Super Pan 3[®] covers do not fit ninth size Super Pan V[®] pans

Super Pan V™ Wire Grates

- Heavy-duty 300 series stainless steel wire construction
- Ample finger room for easy removal from pan
- Use for cooling, icing, display, or drying rack

PAN SIZE	ITEM	DIMENSIONS: IN (CM)	CASE LOT
1/1	20028	18 x 10 x 3/4 (45.7 x 25.4 x 1.9)	12
1/2	20228	11 1/8 x 8 13/16 x 3/4 (28.2 x 22.4 x 1.9)	12
1/3	20328	10 7/8 x 5 1/8 x 3/4 (27.5 x 12.9 x 1.9)	6
BUN PAN SIZE			
1/1	20038	24 x 16 1/2 x 7/8 (60.9 x 41.9 x 2.2)	6
1/2	20248	16 1/2 x 11 3/4 x 7/8 (41.9 x 29.8 x 2.2)	6



Only Wire Grates on the market made of Stainless Steel!

Super Pan V™ False Bottoms

- 300 series stainless steel
- Hold foods above pan bottom for draining
- Finger holes provide for easy removal from pan
- Diameter of small holes: 3/8" (9.5mm)


PAN SIZE	ITEM	DIMENSIONS: IN (CM)	CASE LOT
1/1	20000	17 1/8 x 9 13/16 x 9/16 (43.5 x 24.9 x 1.4)	6
1/2	20200	6 13/16 x 9 13/16 x 9/16 (17.3 x 24.9 x 1.4)	6
2/4	20100	17 3/4 x 3 3/4 x 9/16 (45 x 9.6 x 1.4)	6
1/3	20300	9 3/16 x 4 x 9/16 (23.3 x 10.2 x 1.4)	6
1/4	20400	7 1/8 x 3 3/4 x 9/16 (18.1 x 9.5 x 1.4)	6
1/6	20600	4 7/16 x 4 x 9/16 (11.2 x 10.2 x 1.4)	6



Super Pan V™ Perforated Pans

- 22 gauge (.8 mm), 300 series stainless steel
- 1/4" (6mm) holes^① drain quickly, but sized to retain most foods
- Ideal for steaming foods or draining away fats, juices or moisture

PAN SIZE	ITEM	DEPTH: IN (MM)	CASE LOT
1/1	30013	1 1/2 (40)	6
	30023	2 1/2 (65)	6
	30043	4 (100)	6
	30063	6 (150)	6
1/2	30223	2 1/2 (65)	6
	30243	4 (100)	6



① For 1 1/2", 2" and 2 1/2" depths, drain holes located in bottom only. For 4" and 6" drain holes in sides and bottom.

30013

Steam Table Pans and Accessories

Super Pan V™ with Non-Stick Interior

SteelCoat x3™



- 22 gauge
- 300 series stainless steel
- Dramatic black interior enhances both cold and hot food presentations
- Triple bonded layer coating is the finest available
- Cook, serve and display in the same pan
- Interior surface is stain resistant
- Temperature tolerance of -20° to 450° F (-28° to 230° C)
- Dishwasher safe
- Not for use with metal utensils

More Durable Than Ever!



PAN SIZE	ITEM	DEPTH IN (MM)	BRIMFUL CAPACITY QT (L)	CASE LOT
1/1	70012	1½ (40)	3.9 (3.7)	6
	70022	2½ (65)	8.3 (7.9)	6
	70042	4 (100)	14 (13.3)	6
2/3	70122	2½ (65)	5.6 (5.3)	6
1/2	70212	1¼ (35)	2.1 (2)	6
	70222	2½ (65)	4.3 (4.1)	6
	70242	4 (100)	6.7 (6.3)	6

PAN SIZE	ITEM	DEPTH IN (MM)	BRIMFUL CAPACITY QT (L)	CASE LOT
2/4	70522	2½ (65)	3.7 (3.5)	6
	70542	4 (100)	5.7 (5.4)	6
1/3	70322	2½ (65)	2.6 (2.5)	6
	70342	4 (100)	4.1 (3.9)	6
	70362	6 (150)	6.1 (5.8)	6
1/6	70622	2½ (65)	1.2 (1.1)	6
	70642	4 (100)	1.8 (1.7)	6
	70662	6 (150)	2.7 (2.5)	6

Super Pan V™ Flexible Pan Lids



- Low-density polyethylene
- Translucent lids allow stacking for easy storage
- Sanitary and easy to clean
- Non-staining and dish-washer safe
- Safe to use in temperatures ranging from -20°F to 190°F (-28°C to 88°C)
- Ideal for cold food storage

PAN SIZE	ITEM	CASE LOT
1/1	52430	6
1/2	52431	6
1/3	52432	6
1/4	52433	6
1/6	52434	6
1/9	52435	6



Note: For use with Full Size Super Shapes Steam Table Pans, see page 6-3 & 6-4



PAN SIZE AND DIMENSIONS	ITEM	DEPTH IN (MM)	BRIMFUL CAPACITY QT (L)	PAN CASE LOT	SOLID COVER	CASE LOT	SLOTTED COVER	CASE LOT	WIRE GRATE	CASE LOT	FALSE BOTTOM	CASE LOT
<p>FULL-SIZE 20 1/4 X 12 1/4 IN 527 X 324 MM</p> <p>1/1</p>	30012	1 1/4 (35)	3.9 (3.7)	6	77250	6	75210	6	20028	12	20000	6
	30022	2 1/2 (65)	8.3 (7.9)	6	77250	6	75210	6	20028	12	20000	6
	30042	4 (100)	14 (13.3)	6	77250	6	75210	6	20028	12	20000	6
	30062	6 (150)	21 (19.9)	6	77250	6	75210	6	20028	12	20000	6
<p>TWO-THIRDS SIZE 13 1/4 X 12 1/4 IN 352 X 324 MM</p> <p>2/3</p>	30112	1 1/4 (35)	3 (2.8)	6	75110	6	—	—	—	—	—	—
	30122	2 1/2 (65)	5.6 (5.3)	6	75110	6	—	—	—	—	—	—
	30142	4 (100)	9.3 (8.8)	6	75110	6	—	—	—	—	—	—
	30162	6 (150)	14 (13.3)	3	75110	6	—	—	—	—	—	—
<p>HALF-SIZE 10 1/4 X 12 1/4 IN 264 X 324 MM</p> <p>1/2</p>	30212	1 1/4 (35)	2.1 (2)	6	75120	6	75220	6	20228	12	20200	6
	30222	2 1/2 (65)	4.3 (4.1)	6	75120	6	75220	6	20228	12	20200	6
	30242	4 (100)	6.7 (6.3)	6	75120	6	75220	6	20228	12	20200	6
	30262	6 (150)	10 (9.5)	6	75120	6	75220	6	20228	12	20200	6
<p>HALF-LONG SIZE 20 1/4 X 6 1/4 IN 527 X 164 MM</p> <p>2/4</p>	30512	1 1/4 (35)	1.9 (1.8)	6	75050	3	—	—	—	—	—	—
	30522	2 1/2 (65)	3.8 (3.6)	6	75050	3	—	—	—	—	—	—
	30542	4 (100)	6 (5.7)	3	75050	3	—	—	—	—	—	—
	30562	6 (150)	8.7 (8.2)	3	75050	3	—	—	—	—	—	—
<p>THIRD-SIZE 6 1/4 X 12 1/4 IN 175 X 324 MM</p> <p>1/3</p>	30312	1 1/4 (35)	1.3 (1.2)	6	75130	6	75230	6	20328	6	20300	6
	30322	2 1/2 (65)	2.6 (2.5)	6	75130	6	75230	6	20328	6	20300	6
	30342	4 (100)	4.1 (3.9)	6	75130	6	75230	6	20328	6	20300	6
	30362	6 (150)	6.1 (5.8)	6	75130	6	75230	6	20328	6	20300	6
<p>FOURTH SIZE 6 1/4 X 10 1/4 IN 162 X 264 MM</p> <p>1/4</p>	30422	2 1/2 (65)	1.8 (1.7)	6	75140	6	75240	6	—	—	20400	6
	30442	4 (100)	3 (2.8)	6	75140	6	75240	6	—	—	20400	6
	30462	6 (150)	4.5 (4.3)	6	75140	6	75240	6	—	—	20400	6
<p>SIXTH-SIZE 6 1/4 X 6 1/4 IN 175 X 159 MM</p> <p>1/6</p>	30622	2 1/2 (65)	1.2 (1.1)	6	75160	6	75260	6	—	—	20600	6
	30642	4 (100)	1.8 (1.7)	6	75160	6	75260	6	—	—	20600	6
	30662	6 (150)	2.7 (2.5)	6	75160	6	75260	6	—	—	20600	6
<p>NINTH-SIZE 6 1/4 X 4 1/4 IN 175 X 108 MM</p> <p>1/9</p>	30922	2 (50)	0.6 (0.5)	6	75360	6	75460	6	—	—	—	—
	30942	4 (100)	1.1 (1)	6	75360	6	75460	6	—	—	—	—

Specifications: Super Pan V™, shall be 22-gauge, 300 series stainless steel. Top outside shall be designed with built-in concave, diagonally tapered corners for impact resistance which also acts as pouring spout. All depths of solid pans shall have anti-jamming design to prevent pans from sticking together. Reverse formed edge shall be polished and flattened for consistent tangent to well opening and for hand comfort. Product identification to be laser etched on pan. NSF Certified.

Save on Energy Costs!

Save an annual average of
\$36*
 on energy costs
PER FULL-SIZE PAN OPENING!

STEAM TABLE PAN	HOURLY KWH USAGE	TOTAL ANNUAL HRS.	TOTAL ANNUAL KWH	PRICE PER KWH	TOTAL ANNUAL COST
Super Pan®	0.20	2488	497.60	0.1225	\$60.96
Competitor w/bent edges	0.32	2488	796.11	0.1225	\$97.52

38%
 MORE
 EFFICIENT



Average Annual Savings of \$36.56!*

*Third Party Testing on Super Pan 3[®]. Total hours based on 8 hours a day/311 days a year. Average Commercial Retail Price of Electricity = \$0.1153/kWh as of Sept. '11 per U.S. Dept. of energy website. www.eia.doe.gov

Super Pan V™ Solid and Slotted Covers

- Stainless steel
- Reinforced edges provide added strength to the perimeter of the cover
- Slotted covers are NSF certified – Vollrath exclusive

PAN SIZE	SOLID ITEM	SLOTTED ITEM	CASE LOT
1/1	77250	75210	6
2/3	75110	—	6
1/2	75120	75220	6
2/4	75050	—	6
1/3	75130	75230	6
1/4	75140	75240	6
1/6	75160	75260	6
1/9	75360 ^①	75460 ^①	6



① Ninth size Super Pan 3[®] covers do not fit ninth size Super Pan V[®] pans

Super Pan V™ Wire Grates

- Heavy-duty 300 series stainless steel wire construction
- Ample finger room for easy removal from pan
- Use for cooling, icing, display, or drying rack

PAN SIZE	ITEM	DIMENSIONS: IN (CM)	CASE LOT
1/1	20028	18 x 10 x 3/4 (45.7 x 25.4 x 1.9)	12
1/2	20228	11 1/8 x 8 13/16 x 3/4 (28.2 x 22.4 x 1.9)	12
1/3	20328	10 7/8 x 5 1/8 x 3/4 (27.5 x 12.9 x 1.9)	6
BUN PAN SIZE			
1/1	20038	24 x 16 1/2 x 7/8 (60.9 x 41.9 x 2.2)	6
1/2	20248	16 1/2 x 11 3/4 x 7/8 (41.9 x 29.8 x 2.2)	6



Only Wire Grates on the market made of Stainless Steel!

Super Pan V™ False Bottoms

- 300 series stainless steel
- Hold foods above pan bottom for draining
- Finger holes provide for easy removal from pan
- Diameter of small holes: 3/8" (9.5mm)


PAN SIZE	ITEM	DIMENSIONS: IN (CM)	CASE LOT
1/1	20000	17 1/8 x 9 13/16 x 9/16 (43.5 x 24.9 x 1.4)	6
1/2	20200	6 13/16 x 9 13/16 x 9/16 (17.3 x 24.9 x 1.4)	6
2/4	20100	17 3/4 x 3 3/4 x 9/16 (45 x 9.6 x 1.4)	6
1/3	20300	9 3/16 x 4 x 9/16 (23.3 x 10.2 x 1.4)	6
1/4	20400	7 1/8 x 3 3/4 x 9/16 (18.1 x 9.5 x 1.4)	6
1/6	20600	4 7/16 x 4 x 9/16 (11.2 x 10.2 x 1.4)	6



Super Pan V™ Perforated Pans

- 22 gauge (.8 mm), 300 series stainless steel
- 1/4" (6mm) holes^① drain quickly, but sized to retain most foods
- Ideal for steaming foods or draining away fats, juices or moisture

PAN SIZE	ITEM	DEPTH: IN (MM)	CASE LOT
1/1	30013	1 1/2 (40)	6
	30023	2 1/2 (65)	6
	30043	4 (100)	6
	30063	6 (150)	6
1/2	30223	2 1/2 (65)	6
	30243	4 (100)	6



① For 1 1/2", 2" and 2 1/2" depths, drain holes located in bottom only. For 4" and 6" drain holes in sides and bottom.

30013

Steam Table Pans and Accessories

Super Pan V™ with Non-Stick Interior

SteelCoat x3™



- 22 gauge
- 300 series stainless steel
- Dramatic black interior enhances both cold and hot food presentations
- Triple bonded layer coating is the finest available
- Cook, serve and display in the same pan
- Interior surface is stain resistant
- Temperature tolerance of -20° to 450° F (-28° to 230° C)
- Dishwasher safe
- Not for use with metal utensils

More Durable Than Ever!



PAN SIZE	ITEM	DEPTH IN (MM)	BRIMFUL CAPACITY QT (L)	CASE LOT
1/1	70012	1½ (40)	3.9 (3.7)	6
	70022	2½ (65)	8.3 (7.9)	6
	70042	4 (100)	14 (13.3)	6
2/3	70122	2½ (65)	5.6 (5.3)	6
1/2	70212	1¼ (35)	2.1 (2)	6
	70222	2½ (65)	4.3 (4.1)	6
	70242	4 (100)	6.7 (6.3)	6

PAN SIZE	ITEM	DEPTH IN (MM)	BRIMFUL CAPACITY QT (L)	CASE LOT
2/4	70522	2½ (65)	3.7 (3.5)	6
	70542	4 (100)	5.7 (5.4)	6
	70322	2½ (65)	2.6 (2.5)	6
1/3	70342	4 (100)	4.1 (3.9)	6
	70362	6 (150)	6.1 (5.8)	6
	70622	2½ (65)	1.2 (1.1)	6
1/6	70642	4 (100)	1.8 (1.7)	6
	70662	6 (150)	2.7 (2.5)	6

Super Pan V™ Flexible Pan Lids



- Low-density polyethylene
- Translucent lids allow stacking for easy storage
- Sanitary and easy to clean
- Non-staining and dish-washer safe
- Safe to use in temperatures ranging from -20°F to 190°F (-28°C to 88°C)
- Ideal for cold food storage

PAN SIZE	ITEM	CASE LOT
1/1	52430	6
1/2	52431	6
1/3	52432	6
1/4	52433	6
1/6	52434	6
1/9	52435	6



Note: For use with Full Size Super Shapes Steam Table Pans, see page 6-3 & 6-4