

All Stainless Steel Prep Sinks One, Two & Three Tub Models



**Single Tub Sink
WS1T1618RD18
with Optional
12" Swing Faucet**

For preparation and processing in all Food Service environments.

All 16 Gauge 304 Series Stainless Steel Full Seam Welded!

Specifications:

- All welded Construction.
- Complies with all sanitary standards:
 - Type 304, 16 Gauge Stainless Steel
 - 12" deep bowls
 - Coved Corners
 - Drainboards integrally welded to sink.
- Cross Bracing for heavy duty support and stability.
- Equipped with gusseted, Stainless Steel Legs and Adjustable Feet for leveling.
- 6" Backsplash with 45 degree return.
- Rolled edges.
- Separated tubs to help maintain water temperature.
- Sized to accommodate platters, trays, dishes, pots, and pans.
- Options: 14 Gauge Stainless Steel Shelves under drain boards.



| Model Number | Ordering Number | Tub Dimensions | | | | Overall Dimensions | | | | Drainboards | | | Approx. Ship Weight | |
|-------------------------|-----------------|----------------|------|-------|------|--------------------|-------|-------|------|-------------|------------|------|---------------------|------|
| | | Length | | Width | | Length | | Width | | # of | Dimensions | | (lb) | (kg) |
| | | (in) | (mm) | (in) | (mm) | (in) | (mm) | (in) | (mm) | | (in) | (mm) | | |
| Single Tub Sinks | | | | | | | | | | | | | | |
| WS1T1618 | 157518 | 16 | 406 | 18 | 457 | 21 | 533 | 23½ | 597 | — | — | — | 70 | 32 |
| WS1T1618LD18 | 157526 | | | | | 36½ | 927 | | | 1 | 18 | 457 | 81 | 37 |
| WS1T1618RD18 | 157534 | | | | | 42½ | 1,080 | | | 24 | 610 | 84 | 38 | |
| WS1T1618LD24 | 157542 | | | | | — | — | | | — | — | — | 79 | 36 |
| WS1T1618RD24 | 157551 | | | | | — | — | | | — | — | — | 79 | 36 |
| WS1T1824 | 157606 | 18 | 457 | 24 | 610 | 23 | 584 | 29½ | 749 | — | — | — | 79 | 36 |
| WS1T1824LD18 | 157614 | | | | | 38½ | 978 | | | 1 | 18 | 457 | 93 | 42 |
| WS1T1824RD18 | 157622 | | | | | 44½ | 1,130 | | | 24 | 610 | 97 | 44 | |
| WS1T1824LD24 | 157631 | | | | | — | — | | | — | — | — | 89 | 40 |
| WS1T1824RD24 | 157649 | | | | | — | — | | | — | — | — | 89 | 40 |
| WS1TS2424 | 157657 | 24 | 610 | 24 | 610 | 29 | 737 | 29½ | 749 | — | — | — | 89 | 40 |
| WS1TS2424LD24 | 157665 | | | | | 50½ | 1,283 | | | 1 | 24 | 610 | 106 | 48 |
| WS1TS2424RD24 | 157673 | | | | | — | — | | | — | — | — | 89 | 40 |
| Double Tub Sinks | | | | | | | | | | | | | | |
| WS2T1818 | 157331 | 18 | 457 | 18 | 457 | 43 | 1,092 | 23½ | 597 | — | — | — | 105 | 48 |
| WS2T1818LD18 | 157438 | | | | | 58½ | 1,486 | | | 1 | 18 | 406 | 117 | 53 |
| WS2T1818RD18 | 157446 | | | | | 74 | 1,880 | | | 2 | — | — | 124 | 56 |
| WS2T18182D18 | 157340 | | | | | — | — | | | — | — | — | 112 | 51 |
| WS2T1818LD24 | 157411 | 18 | 457 | 18 | 457 | 64½ | 1,638 | 23½ | 597 | 1 | 24 | 610 | 120 | 54 |
| WS2T1818RD24 | 157420 | | | | | 86 | 2,184 | | | 2 | — | — | 130 | 59 |
| WS2T18182D24 | 157358 | | | | | — | — | | | — | — | — | 112 | 51 |
| WS2T1824 | 157366 | | | | | — | — | | | — | — | — | 112 | 51 |
| WS2T1824LD18 | 157454 | 18 | 457 | 24 | 610 | 58½ | 1,486 | 29½ | 749 | 1 | 18 | 406 | 131 | 59 |
| WS2T1824RD18 | 157462 | | | | | 74 | 1,880 | | | 2 | — | — | 139 | 63 |
| WS2T18242D18 | 157374 | | | | | — | — | | | — | — | — | 112 | 51 |
| WS2T1824LD24 | 157471 | | | | | 64½ | 1,638 | | | 1 | 24 | 610 | 135 | 61 |
| WS2T1824RD24 | 157489 | 18 | 457 | 24 | 610 | 86 | 2,184 | 29½ | 749 | 2 | — | — | 147 | 67 |
| WS2T18242D24 | 157382 | | | | | — | — | | | — | — | — | 136 | 62 |
| WS2T2424 | 157391 | | | | | 55 | 1,397 | | | — | — | — | 136 | 62 |
| WS2T2424LD24 | 157497 | 24 | 610 | 24 | 610 | 76½ | 1,943 | 29½ | 749 | 1 | 24 | 610 | 152 | 69 |
| WS2T2424RD24 | 157500 | | | | | 98 | 2,489 | | | 2 | — | — | 165 | 75 |
| WS2T24242D24 | 157403 | | | | | — | — | | | — | — | — | 136 | 62 |

Prices subject to change without notice.

Freight Class: 100



How to Order:

WS
Win-Holt Sink

+

3T
Number of Tubs

+

1618
Size of Tubs

+

1L 18
Number, Location &
Size of Drain Board



Double Tub Sink
w/ 2 Drainboards



Triple Bakery Tub Sin.
Optional Spring
Pre-Rinse with Add-on Fauc.

Stainless Steel

| Model Number | Ordering Number | Tub Dimensions | | | | Overall Dimensions | | | | Drainboards | | | Approx. Ship Weight | |
|---|-----------------|----------------|-------|-------|------|--------------------|-------|-------|------|-------------|------------|------|---------------------|------|
| | | Length | | Width | | Length | | Width | | # of | Dimensions | | (lb) | (kg) |
| | | (in) | (mm) | (in) | (mm) | (in) | (mm) | (in) | (mm) | | (in) | (mm) | | |
| Triple Tub - Food Service and Multi-Purpose Prep Sinks | | | | | | | | | | | | | | |
| WS3T1618 | 157155 | 16 | 406 | 18 | 457 | 57 | 1,448 | 23½ | 597 | — | — | — | 127 | 58 |
| WS3T1618LD18 | 157235 | | | | | 72½ | 1,842 | | | 1 | 18 | 406 | 138 | 63 |
| WS3T1618RD18 | 157243 | | | | | 88 | 2,235 | | | 2 | | | 145 | 66 |
| WS3T16182D18 | 157163 | | | | | | | | | | | | | |
| WS3T1618LD24 | 157251 | 16 | 406 | 18 | 457 | 78½ | 1,994 | 23½ | 597 | 1 | 24 | 610 | 142 | 64 |
| WS3T1618RD24 | 157260 | | | | | 100 | 2,540 | | | 2 | | | 152 | 69 |
| WS3T16182D24 | 157171 | | | | | | | | | | | | | |
| WS3T1824 | 157180 | | | | | 18 | 457 | | | 24 | 610 | 63 | 1,600 | 29½ |
| WS3T1824LD18 | 157278 | 78½ | 1,994 | 1 | 18 | | | 406 | 168 | | | 76 | | |
| WS3T1824RD18 | 157286 | 94 | 2,388 | 2 | | | | | 177 | | | 80 | | |
| WS3T18242D18 | 157198 | | | | | | | | | | | | | |
| WS3T1824LD24 | 157294 | 18 | 457 | 24 | 610 | 84½ | 2,146 | 29½ | 749 | 1 | 24 | 610 | 172 | 78 |
| WS3T1824RD24 | 157307 | | | | | 106 | 2,692 | | | 2 | | | 185 | 84 |
| WS3T18242D24 | 157201 | | | | | | | | | | | | | |
| WS3T2424 | 157219 | | | | | 24 | 610 | | | 24 | 610 | 81 | 2,057 | 29½ |
| WS3T2424LD24 | 157315 | 102½ | 2,604 | 1 | 24 | | | 610 | 199 | | | 90 | | |
| WS3T2424RD24 | 157323 | 124 | 3,150 | 2 | | | | | 212 | | | 96 | | |
| WS3T24242D24 | 157227 | | | | | | | | | | | | | |
| Triple Tub - Meat Department Sinks | | | | | | | | | | | | | | |
| WS3T1532LD18 | 159636 | 15 | 381 | 32 | 813 | 69½ | 1,765 | 37½ | 953 | 1 | 18 | 406 | 183 | 83 |
| WS3T1532RD18 | 159644 | | | | | 85 | 2,159 | | | 2 | | | 193 | |
| WS3T15322D18 | 159652 | | | | | | | | | | | | | |
| Triple Tub - Bakery and Deli Sinks | | | | | | | | | | | | | | |
| WBS3T1928 | 157569 | 19 | 483 | 28 | 711 | 66 | 1,676 | 33 | 851 | — | — | — | 175 | 79 |
| WBS3T1928LD19 | 157585 | | | | | 82½ | 2,096 | | | 1 | 19 | 482 | 189 | 86 |
| WBS3T1928RD19 | 157593 | | | | | 99 | 2,515 | | | 2 | | | 199 | 90 |
| WBS3T19282D19 | 157577 | | | | | | | | | | | | | |

Freight Class: 100

Hand Sinks



Hand Sink with Electric Eye Activated Faucet

Specifications:



- High quality, heavy duty construction of all TIG welded 16 gauge type 304 Stainless Steel.
- Turned down tub lip for safety and attractive finish.
- 10" (245mm) deep Pedestal Sink and 6" (152mm) deep Wall Mount Sinks.
- Foot Pedal or Knee Valve for hands-free control lessens contamination.
- Gooseneck Faucet, Basket Drain and Soap Dispenser are all included.
- 14 Gauge Stainless Steel Sinks are available upon request.



**Wall Mount Sink with Knee Valves
WHS1410SP**



**Free Standing Sink with Foot Pedals
WHPS1616**

| Model Number | Ordering Number | Description | Tub Dimensions | | | | Overall Width | | Approx. Ship Weight | |
|--------------|-----------------|--|----------------|------|--------|------|---------------------------------|------|---------------------|------|
| | | | Width | | Length | | (in) | (mm) | (lb) | (kg) |
| | | | (in) | (mm) | (in) | (mm) | | | | |
| WHPS1616 | 157681 | Hand Sink with Foot Pedal | 16 | 406 | 16 | 406 | 18 | 457 | 50 | 23 |
| WHS1410SP | 172638 | Wall Mounted Hand Sink with Knee Valves | 10 | 254 | 14 | 356 | 15 ⁵ / ₁₆ | 388 | 45 | 20 |
| WHWS1410HV | 177068 | Wall Mounted Hand Sink with Hand Valves | | | | | 45 | 20 | 45 | 20 |
| WSHS-1410-F | 378329 | Hand Sink with Hardware | 17 | 432 | 15 | 381 | | | 12 | 6 |
| WSHS-1410-EF | 480876 | Hand Sink with Electric Eye Activated Faucet | 15 | 381 | 17 | 432 | 17 | 431 | 20 | 9 |
| WS-SD-ST | 173446 | Replacement Soap Dispenser | | | | | | | — | |

Freight Class: 85

Prices subject to change without notice.

**For 14 Gauge Stainless Steel Sinks, add 12% to the List Prices .
Contact your Win-Holt Representative for Ordering Numbers.**



1-800-444-3595

| fax: 1-516-222-0371

| www.winholt.com

Central Restaurant Products


Sink Accessories




All Win-Holt sink accessories are chrome plated brass, and they are NSF approved.



Spring Type Pre-Rinse Unit with Wall Bracket (WS-SPR-ST) and optional 14\"/>



**Rotary Lever Waste Valve with Flat Strainer
WS-RLWV-ST**



14\"/>

| Model Number | Ordering Number | Item Description | Approx. Ship Weight | |
|--------------|-----------------|--|---------------------|------|
| | | | (lb) | (kg) |
| WS-SPR-ST | 159661 | Spring Type Pre-Rinse Unit with Wall Bracket Chrome Hose Cover | 4 | 2 |
| WS-SFSM-14ST | 159687 | Add-on 14" Swing Faucet for 159661 | 4 | 2 |
| WS-RLWV-ST | 159708 | Rotary Lever Waste Valve with Flat Strainer | 5 | 2 |
| WS-BD-35ST | 159741 | Basket Drain 3½" | 1 | 0.5 |
| WS-BD-15ST | 173403 | Basket Drain 1½" | — | |
| WS-SF-14ST | 159783 | 14" Swing Faucet Splash Mount | 4 | 2 |
| WS-SF-18SU | 247281 | 18" Swing Faucet Splash Mount | 5 | 2 |
| WS-SPR-SU | 159679 | Spring Type Pre-Rinse Unit with Wall Bracket Stainless Steel Hose Cover | 4 | 2 |
| WS-SFSM-14SU | 159695 | Add-on 14" Swing Faucet for 159679 | 4 | 2 |
| WS-SFSM-18SU | 243707 | Add-on Faucet 18" for 159679 | 4 | 2 |

**Basket Drains
for all Sinks**



Freight Class: 70

Stainless Steel