

DRY. STORE. ALL IN ONE.



Camshelving



Camshelving
ELEMENTS SERIES

- Drying Rack shelving units combine the corrosion resistance and strength of Camshelving and Elements with the convenience of easy drying.
- 7-Slot Rack securely holds trays, cutting boards, lids, baking sheet pans (full and half size) and plates 8" to 13.5" (203 to 343 mm) diameter during drying process.
- Provides convenient, sanitary storage, maximizes holding space and easy access.

CAMBRO
TRUSTED FOR GENERATIONS™



www.cambro.com


Camshelving® Drying Rack System

- Easy to install, sits on shelving traverses.
- Convert existing shelf units by removing shelf plates and replacing with drying racks.
- Drying Racks are dishwasher safe.
- Lifetime warranty against rust and corrosion on Posts and Traverses.
- Promotes safety by eliminating moisture.
- Offers an efficient, organized drying area.
- Allows sufficient air circulation [Maximum product width $1\frac{5}{16}$ " (33 mm)]
- Mobile unit allows for easy floor clean-up and transportability.
- Fits all 24" (610 mm) Wide Camshelving®, Camshelving® Elements, Mobile or Stationary 24" to 72" (610 to 1830 mm) in length.
- Drying Rack Material: High Impact ABS.



Camshelving® Elements Drying Rack
EDRC244878PKG

Camshelving® Drying Rack
CSDRC244875PKG



Maximum Tray Depth
1.3" (33 mm)

Fits up to a total of 126 pieces on
a 72" (1830 mm) Length Unit.

Drying Rack Component



Camshelving Drying Rack System is covered by U.S. Patent D 663,912 S.

Drying Rack Carts:

CODE	DIMENSIONS	CASE LB. (CUBE)	CASE KG (CUBE M ³)
Camshelving® Drying Rack Carts – Mobile			
CSDRC244875PKG	24" x 48" x 75" (610 x 1220 x 1910 mm)	103.79 (11.09)	47,08 (0,31)
CSDRC246075PKG	24" x 60" x 75" (610 x 1530 x 1910 mm)	122.87 (11.09)	57,55 (0,31)

Color: Speckled Gray (480).

Camshelving® Elements Rack Carts – Mobile

EDRC244878PKG	24" x 48" x 78" (610 x 1220 x 1980 mm)	86.31 (11.09)	39,16 (0,31)
EDRC246078PKG	24" x 60" x 78" (610 x 1530 x 1980 mm)	98.13 (11.09)	44,51 (0,31)

Color: Brushed Graphite (580).

Package Includes: Drying Racks for three levels, six mobile traverses, two mobile post kits, premium (2 swivel, no brake, 2 swivel with brake) casters and instruction manual.

Drying Racks Only:

CODE	DIMENSIONS H x L x W	CASE PACK	CASE LB. (CUBE)	CASE KG (CUBE M ³)
CSDR7	10 ¹ / ₄ " x 23 ¹ / ₂ " x 3 ³ / ₄ " (240 x 594 x 96,52 mm)	1	3.23 (0.62)	1,47 (0,01)
CSDR73	10 ¹ / ₄ " x 23 ¹ / ₂ " x 3 ³ / ₄ " (240 x 594 x 96,52 mm)	3	8.46 (1.35)	3,85 (0,03)

Color: Soft Gray (151). Shelf Plates not Included.



Trays



Cutting Boards




Lids




Baking Sheet Pans

Chart – Drying Rack

Totals based on 3-level Shelf Units




CSDR7




24 W x 24 L
(610 x 610 mm)

Fits 14 Pieces per shelf
42 Pieces Total




24 W x 30 L
(610 x 760 mm)

Fits 14 Pieces per shelf
42 Pieces Total




24 W x 36 L
(610 x 910 mm)

Fits 21 Pieces per shelf
63 Pieces Total




24 W x 42 L
(610 x 1070 mm)

Fits 21 Pieces per shelf
63 Pieces Total




24 W x 48 L
(610 x 1220 mm)

Fits 28 Pieces per shelf
84 Pieces Total




24 W x 54 L
(610 x 1380 mm)

Fits 28 Pieces per shelf
84 Pieces Total



24 W x 60 L
(610 x 1530 mm)

Fits 35 Pieces per shelf
105 Pieces Total



24 W x 72 L
(610 x 1830 mm)

Fits 42 Pieces per shelf
126 Pieces Total

For more information about Cambro products visit www.cambro.com or contact your Distributor, Cambro Sales Representative or the Cambro Customer Service Department.