tortillaXpress



Commercial Air-Auto Dual-Heat Press (Air Compressor Required)

TXA-SS

dough Xpress

CAUTION

The TXA-SS commercial air-automatic dual-heat dough press is perfect for high tortilla volume production. It's heavy duty stainless steel construction and dual push button start make it the fastest and easiest semi-automatic press in the industry. The dough press is an easy, affordable way to improve your production time, as well as your finished product. The TXA-SS is a swing away design with upper and lower heated platens.

Variable Thickness Control

• makes it possible to achieve desired thickness and ensures consistent thickness at the same dough ball weight

Dual Heated Platens:

- initial grill off for tortillas (fully grilling on press not recommended)
- speeds up production (faster pressing times)
- enables pressing thinner products
- aids dough flow
- allows dough to be pressed straight from refrigeration unit

Production:

- 16"x20" platen allows for making variable tortilla sizes and thicknesses up to 16 inches in diameter – the size of the tortilla is determined by the weight of the dough ball and the thickness setting.
- depends on the desired size of the tortilla...
- 9" to 16" = 150-200/hr,
- 7" to 9" = 300-400/hr,
- 6" or under = 600-800/hr

Finished Product:

- pressed dough is consistent in thickness and size vs. hand prepared where the thickness and size can be inconsistent.
- for best results, we recommend initial grill off of tortillas on dual-heated press and finish on DoughXpress Tortilla Warmer (TXW-1620, TXW-2025 or TXW-2540)

Pressing Tips:

(Pre-Grill)

- Recommended Time: 1-3 seconds
- Recommended Temperature: 275°-300°

Labor:

- presses require no skilled labor unlike hand tossing
- presses are safe and have no age requirements unlike sheeters/rollers

Use:

• TXA-SS is easy to use... prepare dough balls, set temp/thickness, place dough ball in center of lower platen, and press the dough.





HIX Corporation Food Division Product improvement may require us to change specifications without notice. Revised March 2012

DOUGHXPRESS

1201 E. 27th Terrace Pittsburg, KS 66762 USA Toll Free: (800) 835-0606 ext.205 Tel: (620) 231-8568 ext.205 Fax: (620) 231-1598

doughxpress@hixcorp.com or visit www.doughxpress.com

tortillaXpress



Commercial Air-Auto Dual-Heat

Press (Air Compressor Required)

Features Include:

- · digital temperature control displays current reading
- digital timer (count down begins automatically when platen lowers and resets after the platen raises)
- full range thickness adjustment from paper thin to 7/8"
- bottom swing out design saves space and is easier to use than top swinging models
- illuminated On/Off switch
- two start buttons for hands clear operation
- heat indicating light that turns off when set temperature is reached
- flattens dough balls into pizzas up to 18" in diameter
- stainless steel exterior with aluminum upper and lower platens
- sleek, modern, durable, easy to clean design
- emergency stop button

Optional Features:

- Non-stick Xylan coated upper and lower platens
- · powder coated white finish

Certifications:

• ETL

(1)

Interte

Interte

- NSF Listed
- ETL Canadian Standard

Recommended Cleaning Instructions:

• wipe down with a moist towel - if needed, use damp sponge with minimal soap and water and then dry off

doughXpress

specifications without notice.

Revised March 2012

HIX Corporation Food Division

Product improvement may require us to change

DIMENSIONS

Width: 18 3/16 inches, 46.2 centimeters Height: 25-1/8 inches, 63.8 centimeters Depth: 24-11/16 inches, 62.7 centimeters

WEIGHT

Shipping: 250 lbs.

ELECTRICAL

220 Volt / 60 Hz

3100 Watts

15 Amps


6-20P NEMA Plug

AIR

100-130 PSI Inlet, 1 CFM See Compressor Specifications (Separate).

TEMPERATURE RANGE

Off-450°F, 232°C upper & lower platen



DOUGHXPRESS

1201 E. 27th Terrace Pittsburg, KS 66762 USA Toll Free: (800) 835-0606 ext.205 Tel: (620) 231-8568 ext.205 Fax: (620) 231-1598

doughxpress@hixcorp.com or visit www.doughxpress.com