Glastender®

A family company manufacturing in the USA

www.glastender.com

Pass Thru Ice Bins

IB-38X24, IB-38X24-CP10

ETL
SANITATION LISTED

Intertek
4004503
Conforms to ANSI/NSF STD 2

IB-38X24-CP10

Standard Features

- All stainless steel construction
- PVC plastic breaker strip around ice bin liner: creates 5/16″ raised edge around liner, acts as thermal barrier to prevent heat transfer, and makes the covers slide easier.
- Sliding stainless steel covers
- CFC Free foamed-in-place insulation
- Adjustable stainless steel bullet feet
- Available with ten circuit cold plate (add suffix '-CP10' to model number)
- Bartender and cocktail server access

To view underbar installation instructions, please visit: http://www.glastender.com/PDF/F-750-165_Underbar_Installation_Instructions.pdf
To view cleaning and care instructions, please visit: http://www.glastender.com/PDF/F-423-011_ss_clean_care.pdf

Specifications

Drain
- Non-cold plate model: 1-1/2″ tailpiece
- Ten circuit cold plate models '-CP10': 3/4″ MPT

Cover
- Three-piece sliding cover, 20 gauge stainless steel, included with all models

Cold Plate
- Available with ten circuit cold plate
- Connection is 5/16″ O.D. stainless steel tubing with swaged end

Liner Depth
- 10-1/2″ on non-cold plate and 2-circuit cold plate models
- see back for depth detail on 10-circuit cold plate models

Ice Capacity
- 175 lbs

Legs
- 1-5/8″ diameter, 16 gauge stainless steel
- Stainless steel bullet feet

*Materials*
- 20 gauge stainless steel
- PVC plastic breaker strip around opening of ice bin liner

Specifications subject to change without notice. For current specifications please visit our website.

Approval/Notes:

Printed in USA

Rev. 12-07-16

3.02

Pass Thru Ice Bins

Dimensional Information

Model: IB-38X24

PLAN VIEW

35"

22"

38"

SLIDING COVER

OPTIONAL SPEEDRAIL

10 1/2"

BARTENDER SIDE

16"

SIDE ELEVATION

1" ADJUSTMENT FROM 30" TO 31"

24"

14"

30"

FRONT ELEVATION

Model: IB-38X24-CP10

PLAN VIEW

35"

22"

COLD PLATE

38"

15"

20"

SLIDING COVER

OPTIONAL SPEEDRAIL

10 1/2"

9 1/4"

COLD PLATE

BARTENDER SIDE

16"

SIDE ELEVATION

1" ADJUSTMENT FROM 30" TO 31"

24"

14"

COLD PLATE

30"

FRONT ELEVATION