



Project _____
 Item # _____
 Quantity _____

Glo-Ray® Heated Glass Merchandising Warmers

Models: GR3SDH-27, -33, -39,
 GR3SDH-27D, -33D, -39D
 GR3SDS-27, -33, -39
 GR3SDS-27D, -33D, -39D

For self-serve operations, the Hatco Glo-Ray® Heated Glass Merchandising Warmers increase holding capacities and impulse sales. Featuring Hatco's patented heated glass shelves, product is placed at customers' fingertips, while allowing them to view all their choices at once. Designed specifically to hold hot wrapped or boxed product at proper serving temperatures.

Standard features

- The transparent shelf utilizes a patented heated glass, which radiates heat down while conducting heat up, allowing you to hold foods longer and safer at optimum serving temperatures
- The top shelf can be used to display short-term held food for which serving temperature is not critical, providing extra capacity while using the same amount of counterspace
- Not to be installed closer than 3" (76 mm) to a back wall
- NSF requires units over 36" (914 mm) in width or weighing more than 80 lbs. (36 kg) to be either sealed, or raised on the installation surface with the 4" (102 mm) legs included
- Standard units shipped with: thermostatically controlled hardcoated heated base and glass shelf with dual heat source. Also tempered glass side panels, product divider rods, fluorescent display lights and a 6' (1829 mm) cord and plug



GR3SDH-39
 Horizontal single shelf
 in optional Designer
 White Granite



GR3SDS-39D
 Slant dual shelf in
 optional Designer Black

Options (available at time of purchase only)

Designer Colors

Non-standard colors are non-returnable – Black standard

- Warm Red Gray Granite White Granite
 Navy Blue Hunter Green Antique Copper

- Stainless steel body and base (Unpainted posts)
- 5" (127 mm) Sneeze Guards – (customer side only)
 27" (686 mm) model 33" (838 mm) model
 39" (991 mm) model
- Plexi-Glass Flip-Up Doors – (one side only)
 27" (686 mm) model 33" (838 mm) model
 39" (991 mm) model
- Plexi-Glass End Panels, in lieu of Glass End Panels
- Painted Shelf Sign Holder – (Signs not included) – Color matches unit color - Top or Intermediate Shelf (Slant or Horizontal models)
 27" (686 mm) model – 27"W x 2 1/16"H x 1/16"D (686 x 53 x 2 mm) sign
 33" (838 mm) model – 33"W x 2 1/16"H x 1/16"D (838 x 53 x 2 mm) sign
 39" (991 mm) model – 39"W x 2 1/16"H x 1/16"D (991 x 53 x 2 mm) sign

Accessories

- 4" (102 mm) Adjustable Legs
 Additional Stainless Steel Divider Rods




HATCO CORPORATION | P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A. | (800) 558-0607 | (414) 671-6350
 Fax: (800) 543-7521 | Int'l. Fax: (414) 671-3976 | www.hatcocorp.com | equipmentsales@hatcocorp.com | intl@hatcocorp.com




Glo-Ray® Heated Glass Merchandising Warmers

Models: GR3SDH-27, -33, -39, GR3SDH-27D, -33D, -39D
GR3SDS-27, -33, -39, GR3SDS-27D, -33D, -39D

HORIZONTAL SHELF



SLANT SHELF



SPECIFICATIONS

Single Shelf — HORIZONTAL HEATED GLASS MERCHANDISERS

Model	No. of Divider Rods	Dimensions (W x D x H) includes legs	Usable Heated Shelf Space (W x D)	Average Chute Width	Volts	Watts	Amps	Plug	Ship Weight*
GR3SDH-27	10	27.18" x 27.26" x 16.09" (690 x 693 x 409 mm)	23.25" x 21.25" (590 x 540 mm)	4" (102 mm)	120	997	8.3	NEMA 5-15P	108 lbs. (49 kg)
GR3SDH-33	12	33.18" x 27.26" x 16.09" (843 x 693 x 409 mm)	29.25" x 21.25" (743 x 540 mm)	4.25" (108 mm)	120	1251	10.4	NEMA 5-15P	120 lbs. (54 kg)
GR3SDH-39	14	39.18" x 27.26" x 16.09" (995 x 693 x 409 mm)	35.25" x 21.25" (895 x 540 mm)	4.5" (114 mm)	120	1505	12.5	NEMA 5-15P [▲]	133 lbs. (60 kg)

* Shipping weight includes packaging.

[▲] Canada, use NEMA 5-20P.

Dual Shelf — HORIZONTAL HEATED GLASS MERCHANDISERS

Model	No. of Divider Rods	Dimensions (W x D x H) includes legs	Usable Heated Shelf Space (W x D)	Average Chute Width	Volts	Watts	Amps	Plug	Ship Weight*
GR3SDH-27D	15	27.18" x 27.26" x 25.88" (690 x 693 x 657 mm)	23.25" x 21.25" (590 x 540 mm)	4" (102 mm)	120	1769	14.7	NEMA 5-15P [▲]	147 lbs. (67 kg)
GR3SDH-33D	18	33.18" x 27.26" x 25.88" (843 x 693 x 657 mm)	29.25" x 21.25" (743 x 540 mm)	4.25" (108 mm)	120/208	2227	10.3	NEMA L14-20P [†]	166 lbs. (75 kg)
					120/240	2227	10.3		
GR3SDH-39D	21	39.18" x 27.26" x 25.88" (995 x 693 x 657 mm)	35.25" x 21.25" (895 x 540 mm)	4.5" (114 mm)	120/208	2685	12.3	NEMA L14-20P [†]	194 lbs. (88 kg)
					120/240	2685	12.3		

* Shipping weight includes packaging.

[▲] Canada, use NEMA 5-20P.

[†] NEMA 14-20P is optional.



Glo-Ray® Heated Glass Merchandising Warmers

Models: GR3SDH-27, -33, -39, GR3SDH-27D, -33D, -39D
 GR3SDS-27, -33, -39, GR3SDS-27D, -33D, -39D

SPECIFICATIONS Single Shelf — SLANT HEATED GLASS MERCHANDISERS

Model	No. of Divider Rods	Dimensions (W x D x H) Height includes legs	Usable Heated Shelf Space (W x D)	Average Chute Width	Volts	Watts	Amps	Plug	Ship Weight*
GR3SDS-27	10	27.18" x 26.83" x 20.51" (690 x 682 x 521 mm)	23.25" x 21.25" (590 x 540 mm)	4" (102 mm)	120	997	8.3	NEMA 5-15P	115 lbs. (52 kg)
GR3SDS-33	12	33.18" x 26.83" x 20.51" (843 x 682 x 521 mm)	29.25" x 21.25" (743 x 540 mm)	4.25" (108 mm)	120	1251	10.4	NEMA 5-15P	127 lbs. (58 kg)
GR3SDS-39	14	39.18" x 26.83" x 20.51" (995 x 682 x 521 mm)	35.25" x 21.25" (895 x 540 mm)	4.5" (114 mm)	120	1505	12.5	NEMA 5-15P [▲]	156 lbs. (71 kg)

* Shipping weight includes packaging.

[▲] Canada, use NEMA 5-20P.

Dual Shelf — SLANT HEATED GLASS MERCHANDISERS

Model	No. of Divider Rods	Dimensions (W x D x H) Height includes legs	Usable Heated Shelf Space (W x D)	Average Chute Width	Volts	Watts	Amps	Plug	Ship Weight*
GR3SDS-27D	15	27.18" x 26.83" x 30.46" (690 x 682 x 774 mm)	23.25" x 21.25" (590 x 540 mm)	4" (102 mm)	120	1769	14.7	NEMA 5-15P [▲]	164 lbs. (75 kg)
GR3SDS-33D	18	33.18" x 26.83" x 30.46" (843 x 682 x 774 mm)	29.25" x 21.25" (743 x 540 mm)	4.25" (108 mm)	120	1272/955	10.6/8.0	NEMA 5-15P [■]	190 lbs. (86 kg)
					120/208	2227	10.3	NEMA L14-20P [†]	
					120/240	2227	10.3	NEMA L14-20P [†]	
GR3SDS-39D	21	39.18" x 26.83" x 30.46" (995 x 682 x 774 mm)	35.25" x 21.25" (895 x 540 mm)	4.5" (114 mm)	120/208	2685	12.3	NEMA L14-20P [†]	206 lbs. (94 kg)
					120/240	2685	12.3		

* Shipping weight includes packaging.

[▲] Canada, use NEMA 5-20P.


[■] Unit is equipped with two cord and plug sets, requiring two separate 120V, 15A power circuits (not available for Canada).

[†] NEMA 14-20P is optional.

CORD LOCATION

Back of unit, top right side.

PLUG CONFIGURATIONS



PRODUCT SPECS

Glo-Ray® Heated Glass Merchandising Warmers

The Heated Glass Merchandiser shall be a Glo-Ray® model ... as manufactured by the Hatco Corporation, Milwaukee, WI 53234 U.S.A.

The Merchandiser shall be rated at ... watts, ...volts, single phase, and be ... inches (millimeters) in overall width. The Glo-Ray shall consist of a thermostatically-controlled, hardcoated heated base, glass heated shelf(ves), and adjustable divider rods.

Accessories shall include flip up doors, sign holder for top and middle shelves, sneeze guards, 4" (102 mm) legs, and additional divider rods.

Warranty consists of 24/7 parts and service assistance (US and Canada only).

HATCO CORPORATION | P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A. | (800) 558-0607 | (414) 671-6350
 Fax: (800) 543-7521 | Int'l. Fax: (414) 671-3976 | www.hatcocorp.com | equipsales@hatcocorp.com | intl@hatcocorp.com