

# Triple Ingredient Bins

ITEM NO. \_\_\_\_\_  
 QUANTITY NO. \_\_\_\_\_  
 JOB NO. \_\_\_\_\_  
 SPEC NO. \_\_\_\_\_



**Aluminum Frame  
Ingredient Bins**  
148PIB

## Specifications:

- Heavy duty plastic bins are constructed of seamless, one-piece, sanitary polyethylene. Will not chip, corrode or rust.
- Bins are available in **White**, **Yellow** and **Blue**, to color code for easy product identification.
- Clear, heavy duty, plastic lids are standard with all units.
- Ideal height, conveniently fits under work tables, saving valuable space.
- Heavy duty frame. Bins and lids are interchangeable with other popular brands.
- Model 148PIB frame is constructed of sanitary aluminum that will not rust and maneuvers easily on large 5" polyurethane casters.
- Model 148PIB/WF frame is constructed of heavy duty chrome plated wire and maneuvers easily on 4" casters. This unit ships knock down.

### Total Capacity each Bin

- 55 lb Flour (25 kg)
- 75 lb Sugar (34 kg)

EXPRESS

Model Number	Ordering Number	Overall Dimensions						Approx. Ship Weight		Freight Class
		Width		Length		Height		(lb)	(kg)	
		(in)	(mm)	(in)	(mm)	(in)	(mm)			
<b>Full Aluminum Assembly with 1 White, 1 Yellow, and 1 Blue Tub and Three Clear Covers</b>										
148PIB	111940	17	432	31½	800	28¾	730	48	22	70
<b>Full Wire Frame Assembly with 1 White, 1 Yellow, and 1 Blue Tub and Three Clear Covers</b>										
148PIB / WF	193800	17¾	451	31½	826	30½	775	36	16	100
<b>Bins</b>										
148BIN-WH	130008	9¼	235	14⅝	371	23¾	591	White		100
148BIN-YW	129980							Yellow		
148BIN-BL	182713							Blue		
<b>Covers</b>										
148COV	111931	—						Clear		100
<b>Replacement Caster Information</b>										
757	123684	Swivel Square Stem Caster with 5" Polyurethane Wheel						—		65
759	123721	Swivel Stem Caster with 4" x 1" Polyurethane Wheel						—		65

## Lifetime Guarantee

Against Rust or Corrosion on  
All Aluminum Products.

LABORATORY CERTIFICATION AND APPROVAL  
SYMBOLS:



**Wire Frame  
Ingredient Bins**  
148PIB/WF



Triple Ingredient Bins



439 Oak Street • Garden City, NY 11530 • Tel: 1-800-444-3595 • Fax: 516-222-0371  
www.winholt.com • sales@winholt.com

NEW YORK • TEXAS • CALIFORNIA • MICHIGAN

# Ingredient Bin, Single

ITEM NO. \_\_\_\_\_  
 QUANTITY NO. \_\_\_\_\_  
 JOB NO. \_\_\_\_\_  
 SPEC NO. \_\_\_\_\_

## Specifications:

- Heavy duty plastic bin is constructed of white, seamless, one-piece, sanitary polyethylene. Will not chip, corrode or rust.
- Bins are washable and steam cleanable.
- Ideal height, conveniently fits under 30" work table, saving valuable space.
- Maneuvers easily on four 3" rubber casters for easier rolling and maneuverability.
- Equipped with heavy duty Aluminum Lid.

### Total Capacity

- 160 lb Flour (73 kg)
- 228 lb Sugar (103 kg)



1529PIB/ALC

Model Number	Ordering Number	Overall Dimensions						Approx. Ship Weight	
		Width		Length		Height		(lb)	(kg)
		(in)	(mm)	(in)	(mm)	(in)	(mm)		
1529PIB / ALC	112011	15	381	29	737	27	686	30	14
<b>Replacement Caster Information</b>									
7317	123043	Swivel Plate caster with 3" Rubber Wheel						—	
749	123561	Rigid Plate Caster with 3" Rubber Wheel						—	
7111	122171	3" Rubber Wheel						—	

Freight Class: 70

Ingredient Bin, Single



439 Oak Street • Garden City, NY 11530 • Tel: 1-800-444-3595 • Fax: 516-222-0371  
[www.winholt.com](http://www.winholt.com) • [sales@winholt.com](mailto:sales@winholt.com)

NEW YORK • TEXAS • CALIFORNIA • MICHIGAN

# Ingredient Bin, Single

ITEM NO. \_\_\_\_\_  
 QUANTITY NO. \_\_\_\_\_  
 JOB NO. \_\_\_\_\_  
 SPEC NO. \_\_\_\_\_

## Specifications:

- Stainless Steel frame with one-piece, seamless, NSF and FDA approved polyethylene liner.
- Rugged construction for lifetime durability. Win-Holt ingredient bins won't bulge or break.
- Durable single-piece transporting handle with combined nameplate holder for easy cleaning. Fingertip slide-off cover completely removable to speed up cleaning.
- 3" diameter casters two swivel two rigid for complete mobility even when fully loaded. Casters are securely affixed to rugged metal base not molded into plastic where they can break away.
- Airtight design for better product protection and sanitation.
- Lift out POLY-LINER for maximum working convenience.
- Perfect for under bench applications



**IB-A216W/PL**

### Total Capacity

- 150 lb Flour (68 kg)
- 218 lb Sugar (99 kg)

Model Number	Ordering Number	Desc.	Overall Dimensions						Approx. Ship Weight	
			Width		Length		Height		(lb)	(kg)
			(in)	(mm)	(in)	(mm)	(in)	(mm)		
IB-A216W / PL	254641	Aluminum	15	381	27	686	28	711	40	18
<b>Replacement Caster Information</b>										
303RPRCW	895465	Rigid Plate Caster 3¼" x 1½" Polyurethane Wheel							—	
303SPPCW	895529	Swivel Plate Caster with 3¼" x 1½" Polyurethane Wheel							—	

Freight Class: 70

## LABORATORY CERTIFICATION AND APPROVAL SYMBOLS:



Ingredient Bin, Single



439 Oak Street • Garden City, NY 11530 • Tel: 1-800-444-3595 • Fax: 516-222-0371  
 www.winholt.com • sales@winholt.com

NEW YORK • TEXAS • CALIFORNIA • MICHIGAN